

2026 UNIT GUIDE

HÄFELE
BLANCO

BLANCO.COM

SEAMLESS SOLUTIONS FOR THE
KITCHEN WATER PLACE

BLANCO UNIT – TAPS, SINKS AND
WASTE SYSTEMS



CONTENT

ABOUT BLANCO	4-7	6 MIXER TAPS	104-131
BLANCO UNIT	8-16	6.1 MIXER TAPS	108-128
THE BLANCO UNIT	8-11	AVONA	115
UNIT INSPIRATIONS		CARENA	118-119
100 YEARS BLANCO	12-13	CATRIS	116-117
UNIT INSPIRATIONS	14-16	BLANCOCULINA II	109-111
BLANCO COMPETENCIES	18-35	LINEE	112-113
PRODUCT NOVELTIES	36-39	LINUS	120-123
1 QUICKFINDER	40-45	LIVIA	114
2 COMPOSITE BOWLS	46-69	LUNEOO	108
2.1 BOWLS WITH COLOURED COMPONENTS	48-60	MIDA	124-125
ETAGON	52, 56-57	MILA	126-127
OOVALON	50-51	MILI	128
PLEON	55, 59	6.2 WINDOW FACING MIXER TAPS	129
SUBLINE	53-54, 58, 60	ELOSCOPE II	129
2.2 COMPOSITE BOWLS	61-69	6.3 SOAP DISPENSERS	130-131
ETAGON	65	LATO	130-131
METRA	63	7 BASE CABINET ORGANISATION & WASTE SYSTEMS	132-147
NAYA	64, 66, 68	7.1 FOOD WASTE DISPOSER	134-136
PLEON	67	FWD LITE	136
SUBLINE	62, 69	FWD MAX	134
VINTERA XL	61	FWD MEDIUM	135
3 STAINLESS STEEL BOWLS	70-83	7.2 WASTE SYSTEMS	137-145
ANDANO	72, 76, 80-81, 83	BOTTON II	145
CLARON	82	BOTTON PRO	143-144
ZEROX	73-75, 77-79	FLEXON II	140-142
4 COMPOSITE SINKS	84-93	SELECT II	137-139
ADIRA	88-89	7.3 ORGA SYSTEMS	146-147
SONA	86, 90, 92	STORAGE CADDY	147
ZIA	87, 91, 93	UNIVERSAL BAG XL	146
5 ENHANCED WATER	94-103	8 ACCESSORIES	148-163
5.1 FILTER TAPS	97-100	ACCESSORIES FOR SINK PROGRAMMES	150-155
FONTAS II	97-100	ACCESSORIES FOR WASTE SYSTEMS	156-159
5.2 CONSUMABLES	101-102	CARE. CLEANING AND CARE PRODUCTS	163
DRINK FILTER	101	KITCHEN ACCESSORIES	160-162
DRINK FILTER SETS	102	INFORMATION & NOTES	164-173
5.3 TECHNICAL COMPONENTS	103	INFORMATION	164-172
FLOWMETER	103	NOTES	173
FILTER HEAD	103		

1

QUICKFINDER

2

COMPOSITE BOWLS

3

STAINLESS STEEL
BOWLS

4

COMPOSITE SINKS

5

ENHANCED WATER

6

MIXER TAPS

7

BASE CABINET
ORGANISATION &
WASTE SYSTEMS

8

ACCESSORIES

BLANCO

THE NEW BLANCO BRAND IDENTITY

The new look boosts the **DISTINCTIVENESS, VISIBILITY AND PROFILE** of our brand and the BLANCO UNIT. This ensures greater differentiation in retail and in the public eye.



WE HAVE BEEN REINVENTING THE KITCHEN WATER PLACE FOR 100 YEARS.



1

Since the founding of our company in 1925, one brilliant idea has inspired constant innovation: tailoring the central place in the kitchen to people's wishes. A place where form and function come together – and kitchen prep becomes a joyful experience.

We are constantly reinventing the kitchen water place with tireless pioneering spirit and groundbreaking solutions, but the BLANCO brand promise remains unchanged. Our holistic solutions give our customers a little more quality of life every day. We also offer our retail partners genuine added value with support consistently geared towards supporting their sales activities.

With that in mind, we are delighted to add to our wide-ranging portfolio with a highlight product to mark our 100-year success story. Presenting our Anniversary UNITS: highly appealing configurations that combine everything BLANCO stands for.



2

BLANCO COMBINES TRADITION AND INNOVATION

- German family company
- A pioneer in tirelessly enhancing the kitchen water place
- Unique expertise for 100 years
- Innovative, modular, coordinated products and services
- Broad portfolio of premium products
- “Made in Germany” quality standard
- Consistent focus on trade and end customers
- Multiple awards for design, materials and innovation

1/2

A story marked by innovations: from the earliest water troughs (1) to the BLANCO UNIT (2).

1925
|
2025

1925

Heinrich Blanc begins series production of hot water troughs. These are faster and more reliable than the competition, giving Blanc & Co. an unbeatable lead.

1951

Our visionary company founder finds that stainless steel is the ideal raw material for the kitchen. One year later, he launches the first stainless steel sink.

1962

Launch of the Sink Dish Washer – a sink with integrated dishwasher.

1981

BLANCO is the first company in the sector to market composite sinks worldwide, made of Silacron.

1985

Launch of the BLANCOMULTI BOX, the first waste solution directly connected to the sink.

2001

BLANCO uses the AXen concept to create an ergonomic water place. The cutting board can be moved along the axis of movement. Combined with clever accessories, this ensures a smooth work flow.

2017

The era of smart mixer taps marks the start of the drink.system era, with an integrated water filter, hot water system, sensors and a measuring cup function.

2020

BLANCO takes functionality to new heights with the ETAGON system: one step, two rails, three working levels.

In the same year, BLANCO launches a system solution by introducing the BLANCO UNIT: all components of the water place are seamlessly coordinated with each other.

2022

The BLANCO Multi Frame revolutionises the planning and installation of the BLANCO UNIT as a complete system.

That same year, the BLANCO CHOICE.All 6-in-1 water system sets new standards in bespoke drinking water enjoyment.

2023

The UNIT app adds a digital dimension to the holistic principle of the BLANCO UNIT.

2025

BLANCO celebrates 100 years of developing and producing high-quality products that continue to shape the modern kitchen water place.

BLANCO introduces the uniquely designed LUNEEO-S tap. The oval shaped OOVALON sink also launched in VELGRANIT, BLANCO's newest composite material.

THE BLANCO UNIT.



UTTERLY PRACTICAL? AESTHETICALLY STUNNING? BLANCO DOES BOTH.



What people require from the most important place in the kitchen – the water place – is as different as the individuals that use it.

Some want a space-saving solution that offers superb functionality, with a multi-level bowl and clever accessories, but an inconspicuous look. Others want to elevate their kitchen with a luxurious style and premium accents. They love the sensors and high-tech in the base cabinet that come with a 6-in-1 water refinement system.

The BLANCO UNIT is the answer to your customers' different needs: a modular solution that turns the water place into a multifunctional unit.

Every component of a BLANCO UNIT bears the unmistakable signature of our design department – all elements are aesthetically stunning and functionally coordinated. This makes it uniquely possible to configure a large number of BLANCO UNITS.


FORM AND FUNCTION IN PERFECT UNITY.

The carefully coordinated components of a **BLANCO UNIT** complement each other perfectly in terms of function and look, and enable smooth work flows at the water place.

THE WATER PLACE
is the most used area in the kitchen. Each BLANCO UNIT is designed to make optimum use of the space available.



-
- Getting water
 - Setting up
 - Washing & cleaning
 - Washing your hands
 - Disposal & organisation



MIXER TAPS

Available in a variety of designs and colours and boasting useful features, our high-quality mixer taps fit perfectly into the overall kitchen style.

See chapter from
PAGE XX

ACCESSORIES

With smart accessories, UNITS can be even better adapted to individual wishes.

See chapter from
PAGE XX

BOWL & SINKS

The bowl forms the basis of the BLANCO UNIT. Your customers can choose between different versions in a variety of shapes made from first-class materials.

See chapter from
PAGE XX

FOOD WASTE DISPOSER






Makes organic kitchen waste disappear without a trace.

See chapter from
PAGE XX

ORGANISATION AND WASTE SOLUTIONS

Our modular solutions for base cabinets ensure optimal use of space, with efficient organisation of consumables, water treatment systems and kitchen waste.

See chapter from
PAGE XX



UNIT INSPIRATION



OVER 100 YEARS OF UNIT INSPIRATIONS

What better way to celebrate our 100-year success story than with our **ANNIVERSARY UNITS?** Delight your customers with unique configurations at a great price.

SINK/BOWL	KITCHEN MIXER TAP	WASTE & ORGANISATION SOLUTIONS
		
OOVALON-700-U cloud white	LUNEOO-S satin gold	Universal Bag XL
PRODUCT DETAILS SEE PAGE 50-51	PRODUCT DETAILS SEE PAGE 108	PRODUCT DETAILS SEE PAGE 146
WASTE & ORGANISATION SOLUTIONS	ACCESSORIES	
		
Storage Caddy 20	OOVALON Bundle satin gold	
PRODUCT DETAILS SEE PAGE 147	PRODUCT DETAILS SEE PAGE 48	

UNIT INSPIRATION



- Appealing BLANCO UNIT in a warm grey shade; the tone-in-tone combination of the mixer tap and sink are ideal for a kitchen in warm greys or browns.
- The elegantly formed undermount bowl and the minimalist design of the mixer tap set modern accents in a premium kitchen.
- The food-waste disposer is safely attached to the sink drain and conveniently disposes of leftovers quickly and easily.
- Easy workflows at the kitchen water place thanks to a mixer tap with extendable spray head, a generous undermount bowl and an advanced food waste disposer, all efficiently fitted in a 60 cm cabinet.

MIXER TAP



LINUS-S



Extendable
spray



SILGRANIT-Look volcano grey
see page 122

Further Options:

LINUS is also available in other colours.
see page 120

SINK/BOWL



SUBLINE 500-U



Undermount



volcano grey
see page 58

Further Options:

SUBLINE is also available in other colours.
see page 58

ORGANISATION AND WASTE SYSTEM



FWD Medium



Power supply
required

see page 135

SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board

see page 162



Set TOP-Rails 400

see page 160



UNIT INSPIRATION



Appealing BLANCO UNIT in a warm grey shade; the tone-in-tone combination of the mixer tap and sink are ideal for a kitchen in warm greys or browns

— Mixer tap, sink and cabinet system all share a timeless straight-lined design that creates an efficient use of the available space with a focus on advanced functionality

— The elegantly formed undermount bowl and the minimalist design of the mixer tap set modern accents in a premium kitchen

— Streamlined drink, prep and clean workflows thanks to its mixer tap with extendable spray-head, its undermount sink and its waste management system with 2 bins, all efficiently fitted in a 60 cm cabinet

MIXER TAP



LINUS-S



Extendable spray



PVD satin gold
see page 120

Further Options:

LINUS is also available in other colours.
see page 122

SINK/BOWL



SUBLINE 700-U



Undermount



soft white
see page 54

Further Options:

SUBLINE is also available in other colours.
see page 54

ORGANISATION AND WASTE SYSTEM



BOTTON II 30/2

see page 145

SUGGESTED OPTIONAL ACCESSORIES

Set outlet/overflow for single bowl

see page 153

Ash compound cutting board

see page 162



UNIT INSPIRATION



- Appealing BLANCO UNIT in a warm grey shade; the tone-in-tone combination of the mixer tap and sink are ideal for a kitchen in warm greys or browns.
- The elegantly formed undermount bowl and the minimalist design of the mixer tap set modern accents in a premium kitchen.
- The food-waste disposer is safely attached to the sink drain and conveniently disposes of leftovers quickly and easily.
- Easy workflows at the kitchen water place thanks to a mixer tap with extendable spray head, a generous undermount bowl and an advanced food waste disposer, all efficiently fitted in a 60 cm cabinet.

MIXER TAP



LINUS-S



Extendable
spray



SILGRANIT-Look volcano grey
see page 120

Further Options:

LINUS is also available in other colours.
see page 122

SINK/BOWL



SUBLINE 500-U



Undermount



volcano grey
see page 58

Further Options:

SUBLINE is also available in other colours.
see page 58

ORGANISATION AND WASTE SYSTEM



SELECT II 60/2

see page 138

SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board

see page 162



Set TOP-Rails 400

see page 160



BLANCO'S COMPETENCIES



WATER	PAGE 20
MATERIAL	PAGE 22
COLOUR	PAGE 28
WORK FLOW	PAGE 30
ORGANISATION	PAGE 32
SERVICE	PAGE 34



How can the kitchen sink be transformed into the perfect kitchen water place?

With **100 YEARS OF EXPERIENCE**, tireless love of innovation and an unparalleled commitment to quality. In short, with unique competence in all areas.

WATER IS LIFE.
PERFECT WATER
IS QUALITY OF LIFE.



Our drinking water systems and filters transform tap water into real enjoyment – fresh from the tap, custom-refined and available at any time.



FILTER TAPS

Our space-saving water filters are integrated into the base cabinet to provide refined water. The naturally-sourced activated charcoal reduces the calcium content and thus ensures perfect drinking pleasure. At the same time, “softer” water protects coffee machines, kettles and other appliances from limescale, ensuring a long service life. The filter also reduces taste and odour-disrupting substances. The filters are durable and easy to replace.

LONG-LASTING JOY IN STAINLESS STEEL, GRANITE COMPOSITE.

WHAT SETS BLANCO MATERIALS APART:


- **QUICK AND EASY TO CLEAN*:**
Water stains, residue or light limescale buildup can be removed in an instant
- **ACID- AND STAIN-RESISTANT***
Household acids and colour-intensive foods leave no traces
- **HEAT- AND HOT WATER-RESISTANT*:**
Hot pans and hot water will not damage the surface
- **SUNLIGHT-RESISTANT*:**
Even direct sunlight will not cause the surface to fade or change colour

* With normal use over a 20-year period.

Developed, refined and perfected over decades for carefree enjoyment of your kitchen, day in, day out. In addition to their specific strengths, every material we use for your sink or mixer tap boasts exceptional robustness and durability.

STAINLESS STEEL – A FRESH PERSPECTIVE ON A TIMELESS CLASSIC

As a pioneer in design, material development and production, BLANCO brings professional chefs' material of choice directly to your kitchen: Stainless steel - perfectly tailored to your style. Whether it's a timeless classic, double-hardened DURINOX or its elegant Dark Steel variant: We deliver on the BLANCO QUALITY PROMISE. It stands for resistance to corrosion, heat, acid and UV light, easy cleaning and exceptional durability. And because we also believe in the importance of taking responsibility, our stainless steel sinks are made of 90% recycled material and are fully recyclable themselves.



1
Satin polish
2
Durinox
3
DURINOX
DarkSteel


Timeless appeal: classic Stainless Steel.

Unique finishes

— Satin polish: the finest surface with a warm undertone.

Works with any kitchen: Due to its classic, understated look, stainless steel suits any kitchen style.

Robust and durable: Due to its corrosion resistance, ease of maintenance, and heat and acid resistance, your BLANCO stainless steel sink will remain beautiful for a long time to come.



2

Lasting beauty: DURINOX

Meticulously refined: The DURINOX surface is created in a blasting process originally used in aerospace engineering. Known as shot-peening, the process involves shooting millions of tiny steel balls onto the material at a speed of over 300km/h. The resulting compacted stainless steel achieves the optimal balance of hardness and flexibility. Multiple electrolyte baths complete the process and create an easy-to-clean surface.

Best Stainless Steel properties: Like our classic stainless steel, DURINOX is characterised by ease of maintenance and resistance to corrosion, heat, acid and light, consisting of 90% recycled material and fully recyclable.


Extremely scratch-resistant: Greater

hardness, fewer marks – for example from pots or grit from vegetables under a moved colander.

Fewer fingerprints: Thanks to the special surface texture, fingerprints are barely visible – and easy to remove.

Beautiful design options: Available for IF - flat rim (IF), with tap ledge (IF/A) and undermount (U) installation types.

Exclusively at BLANCO: The double-hardened stainless steel is unique worldwide and manufactured in-house.



3

Exceptionally beautiful: DURINOX Dark Steel.

Resistant and easy care: DURINOX Dark Steel offers all the benefits of DURINOX. At 380 HV*, Dark Steel does not quite reach the hardness of the classic Durinox version, but is still more than twice as hard as conventional stainless steel.

*Vickers hardness is a measure of material hardness determined by an indentation test using a pyramid-shaped diamond.

Durable colouring: Zero pigments or dyes: the matt-metallic glossy chromium oxide

layer created using a computer-controlled electrochemical process is an integral part of the stainless steel, making it durable and UV-resistant.

Beautiful designs: Available for IF - flat rim (IF) and undermount (U) installation types.

Exclusively at BLANCO: DURINOX Dark Steel is used exclusively for BLANCO sinks.



VELGRANIT MYSTIC BLACK

DELIGHTS WITH EVERY TOUCH: VELGRANIT.

Like rock smoothed by the tides: Velgranit (from 'velvet') has an incomparably sleek feel. The high proportion of granite also makes it our hardest and most scratch-resistant composite material. The new premium surface has also proven highly versatile: Velgranit can be used to produce bowls in the most unique shapes, all without compromising on quality. Velgranit is extremely durable and easy to maintain. Developed and patented by BLANCO – another testament to our German-made material expertise.

Smooth touch, outstanding hardness

The smooth surface has a particularly pleasant feel – and is as hard and resistant as the Rocky Mountains thanks to the highest proportion of granite we've ever used.

New premium colours

Meticulously developed by BLANCO: two natural matt premium colours – as unique as they are elegant.

Extremely durable

The BLANCO PROTECTION SHIELD guards against limescale buildup, fingerprints, colour fading and acid damage. How about cleaning? It couldn't be easier – just one wipe, and you're done.



Top heat resistance

Up to 300 degrees Celsius: even hot cast iron pans can be placed on the sink without causing damage.

Ideal for water systems

Ideally suited for use with BLANCO drink. systems and boiling water taps – constantly tested and certified by BLANCO LABORATORIES GERMANY.

1
Mystic
black
2
Cloud
white



Granite composite: the pinnacle of material science.

The natural look of granite combined with state-of-the-art material technology. Our Silgranit and new Velgranit materials open up unprecedented options for kitchen water place design. Be inspired by our granite composite sinks in all conceivable shapes and sizes – and a wide range of unique colours.

Patented and perfected.

Since the early 1980s, BLANCO has been a pioneer in the development of composite sinks. Based on the popular natural material granite, BLANCO raised the bar with its patented Silgranit formula around the turn of the millennium – and has been continuously refining it at BLANCO LABORATORIES GERMANY ever since. A multi-award-winning material solution in the premium segment and the ideal basis for Velgranit.

NATURAL, ELEGANT OR MODERN – THE IDEAL COLOURS FOR YOUR KITCHEN: SILGRANIT.

Elegant soft white, cool rock grey or intense black: with its neutral tones and natural nuances, a Silgranit sink gives your kitchen a modern look. What's more, SIL (from 'silk') stands for the particularly pleasant, smooth surface texture, almost like raw silk. The second part of the name describes the strength and durability that Silgranit derives from its main component: granite. BLANCO developed the Silgranit formula at the turn of the millennium and has been continuously improving it ever since at BLANCO LABORATORIES GERMANY – winning many awards for its superb material quality.




1



2



3



4



5



6



7

- 1 Black
- 2 Anthracite
- 3 Rock grey
- 4 Vulcano grey
- 5 White
- 6 Soft White
- 7 Tartufo

A variety of shapes and sizes Small, XXL with several bowls, round or square:

a Silgranit sink adapts perfectly to the specifications of any kitchen design.

Durable quality, effortless maintenance

Limescale buildup: easy to remove. Fingerprints: not a trace. And colours Soft white that stay beautiful forever. Silgranit is easy to maintain even in hard-water areas.

The resilient everyday companion

Silgranit is robust against acids, filtered water and UV light, and resistant to scratches and heat up to 280 degrees Celsius. You can even safely place hot pots or baking trays on it without concern.

Unique colours

Eight exclusive colours developed by BLANCO – carefully selected to complement different tastes, kitchen styles and interior design concepts.

Patented Hygiene+Plus protection formula

The special surface finish creates a smooth, non-porous surface that does not retain dirt, bacteria or limescale buildup. For maximum safety in everyday life – thanks to antibacterial properties that require minimal cleaning.

Granite at its best. 100% BLANCO.

Granite is one of the primary components of the Rocky Mountains. We take only the best of the best: fine quartz sand from the region. Each of our composite sinks contains a particularly high proportion of granite. This is what makes them robust while retaining a natural feel. More than 50 other carefully combined ingredients ensure an exceptional level of quality. Made by BLANCO - for everyday use in your kitchen.

THE BLANCO UNIT.



COLOURS ARE METICULOUSLY PLANNED AT BLANCO.

MATCH

COLOUR COORDINATION: AN EXQUISITE MATCH WHEN EVERYTHING FROM THE BOWL TO THE MIXER TAP

to the drain and overflow components is in the exact same colour, it creates a beautiful matching look. The colour palette for Silgranit sinks offers a great deal of design freedom, while stainless steel sinks can be combined with stainless steel mixer taps across the board.

STEPS TO CREATING A PULLED-TOGETHER LOOK:

Step 1: Choice of sink colour.

Step 2: Mixer tap finish selection.

Step 1: Choice of colour-matched components such as drain and overflow set, soap dispenser, pop-up waste/PushControl.



1
Colour match in Silgranit black and black matt



2
Colour match in Silgranit soft white

The colour scheme for the water place is a key element of **CUSTOMISATION**. With our system of coloured components and extensive colour palettes, the different parts add up to create a pulled-together kitchen look.

HARMONY

HIGH CONTRAST COMBINED

Complementary colours for the mixer tap, sink and drain exude sophistication. With our system of coloured components, the contrasting colours go beautifully with each other. We call this perfect harmony.

STEPS TO A HIGH-CONTRAST LOOK:

- Step 1: Choice of sink colour.
- Step 2: Mixer tap finish selection.
- Step 3: Choice of colour-complementary components such as drain and overflow set, soap dispenser, pull button/PushControl.



1
Colour harmony in Silgranit black and satin gold



2
Colour harmony in Silgranit white and black matt


EVERYTHING FROM WATER TO WORK FLOW IN PERFECT HARMONY

The design and functionality of the BLANCO UNITS are cleverly made to optimise **WORK FLOWS** around the sink. This basic principle is implemented through a variety of ingenious options and accessories, making the water place a custom-configurable space.



PREP

Clever accessories like waste receptacles can be easily hung in the bowl – perfect for food prep.




WASHING & CLEANING

Rinsed utensils can be placed in the sink drainer with ease.

DISPOSAL & ORGANISATION

Kitchen waste is transferred to the waste bin integrated into the base cabinet. Household consumables can also be stored here.



WASHING HANDS

The optional built-in soap dispenser can also be filled with diluted liquid soap – so hygiene is always at hand.

GETTING WATER

Refined water for drinking or boiling is dispensed separately from tap water from the mains.



CARE

BLANCO Care products make cleaning and maintaining the work area easy once kitchen prep is done.

UNIVERSAL CUTTING BOARDS SEE PAGE

→ 160

FOLDABLE GRID SEE PAGE

→ 158

BLANCO CARE SEE PAGE

→ 161

TIDINESS IS HALF THE BATTLE IN THE KITCHEN.



With a variety of **MODULAR** organisation and waste systems and a revolutionary complete system, your customers benefit from a tidy worktop and optimally organised waste containers, consumables and utensils.

EVERYTHING IN ONE PLACE. After the refrigerator, the cabinet under the sink is opened most frequently in the kitchen. But it is rarely used efficiently. In a **BLANCO UNIT**, however, the base cabinet plays an important role. All features are modular in design and offer a wide range of combination options.



The first choice for front pull-outs: SELECT II.

BLANCO SELECT II is the perfect waste separation system for planning kitchen cabinets with high-fronted pull-out drawers. The storage space is used to optimal effect, and everything stays clean. The seamless edges of the bins fit neatly into the free-standing frame, so nothing can slip into gaps. The SELECT II system fits into any cabinet width and offers the optimal solution for every requirement, with up to four bins. The optional organisation drawer completes the system.

Hinged doors don't have to mean wasted space.

For hinged doors frequently used in kitchens, we also offer convenient waste separation solutions for the most common base cabinet sizes – with or without a door catch for automatic cabinet door opening.

Perfectly planned down to the rubbish bag.

The UNIT principle extends all the way to the rubbish bag. That's why we offer waste bags for household waste, optimally designed for all BLANCO SELECT & FLEXON systems.

Portable storage solutions.

Ideal for storing sink accessories and consumables, for flexible use in the kitchen and space-saving storage in the sink cabinet: Our portable storage solutions for pull-out and hinged doors, including the universal bag and the caddy.



ORGANISATIONAL SOLUTIONS SEE PAGE

➔ 146-147

WASTE SOLUTIONS SEE PAGE

➔ 137-145

ACCESSORIES SEE PAGE

➔ 148-151

IF YOU NEED US, WE'RE THERE FOR YOU.



We have always considered our products holistically from the perspective of the people who use them – from planning to care. With our comprehensive range of **SUPPORT SERVICES**, you're optimally placed to advise your customers. For maximum customer satisfaction – right from the start.

The right solution for everything
We know the challenges posed by installation. That's why we offer the ideal solution for every requirement – even for particularly challenging installation situations. This includes sinks and base cabinet solutions with special dimensions. In addition to the classic installation methods, we offer special solutions such as flushmount or flush undermount installation.

Assisting your planning

We support your planning in a variety of ways, including:

- Fitting data for all installation types that can be implemented with our products. These can be found on the B2B extranet
- Planning data for the common kitchen planning systems
- Explanatory videos on installation, care and cleaning on our B2B extranet and on our YouTube channel
- Available in many markets: exportable marketing, product, planning and logistics data based on an article number list, along with planning information and checklists for Multi Frame and our drinking water systems

Brand Academy

Through a wide range of training courses, the Global Brand Academy aims to deepen your expertise in the holistically planned kitchen water place. Our B2B training concept has a hybrid format and offers face-to-face and online training, plus a digital learning platform.

Technical Service

Our Technical Service team offers comprehensive support for all products for the kitchen water place, from installation to use and maintenance. Our specialists can also help with any questions about spare parts and offer an assembly service for your showroom.

Maintaining customer satisfaction

Our cleaning and care range ensures that this side of things is also straightforward and problem-free. All products boast easy application and formulas optimally matched to the surfaces.

Want to know more?

Book one of our expert training courses now.

FOR MORE INFORMATION PLEASE CONTACT YOUR LOCAL BLANCO PARTNER



NEW




NEW


NEW PRODUCTS

1 OOVALON
2 ETAGON line extension
3 SELECT II Big

Wowing new and existing customers alike: Our great **NEW PRODUCTS** and models tailored to different markets make everyday life at the kitchen water place even better.



1



2



3

Round is timelessly beautiful. The new OOVALON sink elegantly combines the soft curves of an oval with the sharp edges of a cube – in a fluid, chamfered design. Oder The new BLANCO OOVALON sink is a true designer piece. Its graceful oval shape meets precisely defined edges. Sophisticated and unusual, but no less functional. Encourage your customers to touch it! What truly sets OOVALON apart is its surface: VELGRANIT – BLANCO's latest material innovation. It feels as velvety as a sea-polished stone and allows designers for tighter radii and crisp contours. A premium choice for those seeking

You could easily mistake the new LUNEEO-S tap for an elegant table lamp – with its sleek, elongated cylindrical valves, it dispenses water instead of light, completely bypassing the traditional lever. The dual-spray head docks smoothly and magnetically, while the flexible, braided hose ensures exceptional reach and effortless handling – ideal for daily kitchen tasks. And the lever? It's gone! LUNEEO-S introduces an innovative control unit beside the tap – an intuitive, seamless interface unlike anything seen in the kitchen world. With LUNEEO-S, full control is at the fingertips: a powerful shower spray for pre-rinsing dishes and deep cleaning, and a standard stream for washing hands or rinsing fruits and vegetables.



Great design goes beyond what's visible. Like an iceberg, its true value lies beneath the surface – precisely where the BLANCO UNIT comes into its own. This modular system offers a complete, seamlessly integrated solution, thoughtfully designed from tap to base cabinet organisation.

With the BLANCO UNIT, you're presenting a seamless blend of high-end water zone elements, intelligently arranged storage, and integrated technology beneath the sink. It ensures efficient workflows, intelligent use of space, and a clean, organised water place – regardless of the kitchen size.

A strong selling point for customers seeking both design and functionality in perfect harmony.




BLANCO UNIT PRODUCT MATCHING

SINK	ACCESSORY BUNDLE	TAP
 OOVALON 700 mystic black	 OOVALON components	 LUNEOO-S
 OOVALON 700 cloud white	 PVD steel  satin dark steel	 satin gold
 mystic black  cloud white	 black matt	

OOVALON SINKS SEE PAGE

LUNEOO TAPS SEE PAGE



50-51

108

SURFACES AND COLOURS

FOR BLANCO SINKS AND BOWLS.

STAINLESS STEEL



Stainless steel Durinox Dark steel



Stainless steel Durinox



Stainless steel satin polish

VELGRANIT COLOURS



mystic black



cloud white

SILGRANIT® COLOURS



black



white



anthracite



soft white



rock grey



tartufo



volcano grey

SYMBOLS AND EXPLANATIONS FOR SINKS AND BOWLS



Flat rim IF
Undermount



Undermount



Installation
from above



Installation from above
and undermount



Flushmount
installation



Flush undermounted
installation



In-between
module

SURFACES AND COLOURS

FOR BLANCO SINKS AND BOWLS.

CERAMIC COLOURS



chrome*



stainless steel finish

CERAMIC COLOURS



PVD steel



satin dark steel*



satin gold*

CERAMIC COLOURS



black matt*

* also available for BLANCO components

CERAMIC COLOURS



black



white



anthracite



soft white



rock grey



tartufo



volcano grey

CERAMIC COLOURS



black/chrome



white/chrome



anthracite/chrome



soft white/chrome



rock grey/chrome



tartufo/chrome



volcano grey/chrome

SYMBOLS AND EXPLANATIONS FOR MIXER TAPS



Filter



Volume



Power supply required



Senso



Extendable spray



Solid spout



Pull-out dual spray



Also in low-pressure



Lever left



Window solution

900

BOWLS SILGRANIT



VINTERA XL 9-UF
SILGRANIT
896 x 510 mm



SUBLINE 480/320-U
SILGRANIT
855 x 460 mm



SUBLINE 800-U
SILGRANIT
830 x 460 mm



NAYA XL 9
SILGRANIT
860 x 510 mm

900

BOWLS STAINLESS STEEL



ANDANO 400/400-U
Stainless steel satin polish
865 x 440 mm

800

BOWLS VELGRANIT



NEW

OOVALON 700-U
VELGRANIT
756 x 430 mm



NEW

OOVALON 700-IF
VELGRANIT
756 x 430 mm



Flat rim IF



Undermount

Installation from
aboveInstallation from above
and undermountFlushmount
installationFlush undermounted
installationIn-between
module

800

BOWLS SILGRANIT



ETAGON 700-U for Coloured Components
SILGRANIT
730 x 460 mm



SUBLINE 350/350-U for Coloured Components
SILGRANIT
755 x 460 mm



SUBLINE 700-U for Coloured Components
SILGRANIT
730 x 460 mm



SUBLINE 800-U
SILGRANIT
830 x 460 mm



ETAGON 700-U
SILGRANIT
730 x 460 mm



ETAGON 8
SILGRANIT
780 x 510 mm



SUBLINE 350/350-U
SILGRANIT
755 x 460 mm



SUBLINE 430/270-U
SILGRANIT
755 x 460 mm



SUBLINE 700-U Level
SILGRANIT
730 x 460 mm

800

BOWLS STAINLESS STEEL



ZEROX 700-U Durinox Dark Steel
Stainless steel Durinox Dark Steel
740 x 440 mm



ANDANO 340/340-U
Stainless steel satin polish
745 x 440 mm



ANDANO 700-U
Stainless steel satin polish
740 x 440 mm



Flat rim IF



Undermount



Installation from above



Installation from above and undermount



Flushmount installation



Flush undermounted installation



In-between module

600

BOWLS SILGRANIT



ETAGON 500-U for Coloured Components
SILGRANIT
530 x 460 mm



ETAGON 6 for Coloured Components
SILGRANIT
600 x 510 mm



SUBLINE 340/160-U for Coloured Components
SILGRANIT
555 x 460 mm



SUBLINE 500-U for Coloured Components
SILGRANIT
530 x 460 mm



PLEON 6 for Coloured Components
SILGRANIT
615 x 510 mm



ETAGON 500-U
SILGRANIT
530 x 460 mm
530 x 460 mm



ETAGON 6
SILGRANIT
600 x 510 mm



SUBLINE 500-U
SILGRANIT
530 x 460 mm

600

BOWLS STAINLESS STEEL



ZEROX 500-U Durinox Dark Steel
Stainless steel Durinox Dark Steel
540 x 440 mm



ZEROX 500-U Durinox
Stainless steel Durinox
540 x 440 mm



ZEROX 500-U
Stainless steel satin polish
540 x 440 mm



ANDANO 500-U
Stainless steel satin polish
540 x 440 mm

500

BOWLS SILGRANIT



SUBLINE 400-U for Coloured Components
SILGRANIT
430 x 460 mm



SUBLINE 400-U
SILGRANIT
430 x 460 mm

450

BOWLS STAINLESS STEEL



ANDANO 400-U
Stainless steel satin polish
440 x 440 mm



ANDANO 450-U
Stainless steel satin polish
490 x 440 mm



Flat rim IF



Undermount



Installation from above



Installation from above and undermount



Flushmount installation



Flush undermounted installation



In-between module

400

BOWLS SILGRANIT**SUBLINE 320-U**
SILGRANIT
350 x 460 mm

300

BOWLS SILGRANIT**SUBLINE 160-U**
SILGRANIT
190 x 460 mm

400

BOWLS STAINLESS STEEL**ANDANO 340-U**
Stainless steel satin polish
380 x 440 mm

800

SINKS SILGRANIT**ZIA 8 S**
SILGRANIT
1160 x 500 mm

600

SINKS SILGRANIT**ADIRA 6 S**
SILGRANIT
1000 x 500 mm**ADIRA XL 6 S**
SILGRANIT
1000 x 500 mm**ZIA XL 6 S**
SILGRANIT
1000 x 500 mm**ADIRA XL 6 S-F**
SILGRANIT
990 x 490 mm

450

SINKS SILGRANIT**ADIRA 45 S**
SILGRANIT
780 x 500 mm**ZIA 45 S**
SILGRANIT
780 x 500 mm

Flat rim IF



Undermount

Installation from
aboveInstallation from above
and undermountFlushmount
installationFlush undermounted
installationIn-between
module



2 COMPOSITE BOWLS



2.1	BOWLS WITH COLOURED COMPONENTS	48-60
	ETAGON	52, 56-57
	OOVALON	50-51
	PLEON	55, 59
	SUBLINE	53-54, 58, 60
2.2	COMPOSITE BOWLS	61-69
	ETAGON	65
	METRA	63
	NAYA	64, 66, 68
	PLEON	67
	SUBLINE	62, 69
	VINTERA XL	61

FOR PERFECT HARMONY BALANCE

BALANCE IN THE MOST IMPORTANT PLACE AT HOME.

1. Pick your sink including matching CapFlow

COMPOSITE
bowls

2



OOVALON 700-U mystic blackOOVALON 700-U cloud white

THE SINKS ARE AVAILABLE IN THE FOLLOWING VELGRANIT COLOURS:

mystic black

cloud white

2. Choose your preferred complementing bundle of OOVALON components



black mattsatin dark steelsatin goldstainless steel

3. Select the matching tap or drink.system



LUNEEO-SLUNEEO-SLUNEEO-SLUNEEO-S

black mattsatin dark steelsatin goldstainless steel

4. Enjoy your colour blend



1. Pick your sink including matching CapFlow



ETAGON 6



ETAGON 500-U



ETAGON 700-U



SUBLINE 400-U



SUBLINE 500-U



SUBLINE 700-U



SUBLINE 350/350-U

THE SINKS ARE AVAILABLE IN THE FOLLOWING SILGRANIT COLOURS:



black



rock grey



white



tartufo



anthracite




volcano grey



soft white

2. Choose your preferred complementing Coloured Components InFino drain system



THE COMPONENTS ARE AVAILABLE IN THE FOLLOWING COLOURS:



black matt



satin dark steel



satin gold

3. Select the matching tap or drink.system



LINUS



black matt



LINUS

satin
dark steel

LINUS



satin gold

4. Enjoy your colour blend



OOVALON 700-U VELGRANIT

NEW

800 mm

Coloured Components

2.1



- Outstanding oval sink design without compromises on functionality
- The covering of the outlet ("CapFlow") is an eyecatcher itself and provides ideal drainage
- The grid can be easily mounted, used as an additional working level and is dishwasher safe.
- Easy planning of BLANCO UNIT products under the sink due to the off-set drain

800 cabinet size mm



Undermount

COLOUR

 mystic black 527989

COLOUR

 cloud white 527990

BUNDLE OOVALON COMPONENTS



 stainless steel  48 527993

 black matt  48 527994

BUNDLE OOVALON COMPONENTS



 satin dark steel  48 527996

 satin gold  48 527995

SCOPE OF SUPPLY

CapFlow in Velgranit in colour adapted to bowl colour.
Fixing elements.




OOVALON CapFlow

OOVALON CapFlow

TECHNICAL DRAWING

Bowl depth 175 mm
Bundle of OOVALON components incl. drainage components must be ordered separately.
Glue for fixing elements not included.
When installed with BLANCO CHOICE, check position of water supply connection to avoid collision of waste fitting and WCU.
Model-related detailed dimensions and drawings can be found with the cut-out information online at www.blanco.com.



 see page

SUGGESTED OPTIONAL ACCESSORIES

BLANCO UNIT WITH OOVALON 700-U

LUNEOO-S

FLEXON II Low 80/3

see page 108

see page 142



OOVALON 700-IF VELGRANIT

NEW



- Outstanding oval sink design without compromises on functionality
- The covering of the outlet ("CapFlow") is an eyecatcher itself and provides ideal drainage
- The grid can be easily mounted, used as an additional working level and is dishwasher safe.
- Easy planning of BLANCO UNIT products under the sink due to the off-set drain

800 cabinet size mm

Installation from above

Flushmount installation

COLOUR

 mystic black 527991

COLOUR

 cloud white 527992

BUNDLE OOVALON COMPONENTS



 stainless steel 48 527993

 black matt 48 527994

BUNDLE OOVALON COMPONENTS



 satin dark steel 48 527996

 satin gold 48 527995

SCOPE OF SUPPLY

CapFlow in Velgranit in colour adapted to bowl colour.




OOVALON CapFlow

OOVALON CapFlow

TECHNICAL DRAWING

Bowl depth 175 mm
 Bundle of OOVALON components incl. drainage components must be ordered separately.
 When installed with BLANCO CHOICE, check position of water supply connection to avoid collision of waste fitting and WCU.
 With a worktop thickness of more than 20 mm, a 120 mm recess must be provided in the cut-out area around the overflow.
 Model-related detailed dimensions and drawings can be found with the cut-out information online at www.blanco.com.



 see page

SUGGESTED OPTIONAL ACCESSORIES

BLANCO UNIT WITH OOVALON 700-U

LUNEEO-S

FLEXON II Low 80/3

see page 108

see page 142



800 mm

Coloured
Components

2.1

ETAGON 700-U SILGRANIT



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system – elegantly integrated and easy-care

800

cabinet
size mm

Undermount

reddot award 2
winner

COLOUR

	black	570.29.396 (525891)		white	570.29.790 (525171)
	anthracite	570.29.390 (525167)		soft white	570.29.796 (527078)
	rock grey	570.29.590 (525168)		tartufo	570.29.090 (525174)
	volcano grey	570.29.696 (527261)			

COLOURED COMPONENT SETS


INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)

SCOPE OF SUPPLY

2 x ETAGON rails in stainless steel, fixing kit




2 x ETAGON rails

TECHNICAL DRAWING




Bowl depth 200 mm
Cut-out radius: 20 mm
Drainage components must be ordered separately.



SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



BLANCO UNIT WITH ETAGON 700-U

FONTAS-S II Filter

FLEXON II Low 80/3

see page 99

see page 142



SUBLINE 350/350-U SILGRANIT



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- 2 in 1: two bowls, one cut-out panel and only one mounting procedure
- Entire system for a wide variety of plans featuring large and small bowls

800

cabinet
size mm



Undermount

800 mm

Coloured
Components

2.1

COLOUR

	black	570.26.363 (525987)
	anthracite	570.26.360 (523574)
	rock grey	570.26.560 (523575)
	volcano grey	570.26.666 (527347)

COLOUR

	white	570.26.760 (523578)
	soft white	570.26.766 (527164)
	tartufo	570.26.060 (523581)

COLOURED COMPONENT SETS

INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		150	565.91.103 (207438)
	satin dark steel		150	565.69.539 (207440)
	satin gold		150	565.91.104 (207439)


SCOPE OF SUPPLY

fixing kit

TECHNICAL DRAWING




Bowl depth 200/200 mm
Cut-out radius: 10 mm
Drainage components must be ordered separately.



SUGGESTED OPTIONAL ACCESSORIES


Set TOP-Rails 400

235906
see page 160



Ash compound cutting board

230700
see page 162



BLANCO UNIT WITH SUBLINE 350/350-U

LINUS-S

see page 120



FLEXON II Low 80/3

see page 142



800 mm

Coloured
Components

2.1

SUBLINE 700-U SILGRANIT



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- Entire system for a wide variety of plans featuring large and small bowls

800

cabinet
size mm

Undermount

COLOUR

	black	570.29.350 (526001)
	anthracite	570.26.320 (523442)
	rock grey	570.26.520 (523443)
	volcano grey	570.26.626 (527356)

COLOUR

	white	570.26.720 (523446)
	soft white	570.26.727 (527173)
	tartufo	570.26.026 (523449)

COLOURED COMPONENT SETS

INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)


SCOPE OF SUPPLY

fixing kit

TECHNICAL DRAWING




Bowl depth 190 mm
Cut-out radius: 10 mm
Drainage components must be ordered separately.
Please order drain connections for combinations of two individual bowls separately.



see page

SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



BLANCO UNIT WITH SUBLINE 700-U

LINUS-S

FLEXON II Low 80/3

see page 120

see page 142



PLEON 8 SILGRANIT



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Timelessly elegant, straight-lined design
- Single bowl with maximum volume thanks to particularly deep bowl
- Continuous, generous tap ledge and low-profile rim
- Easy to clean, flowing transition from the sink's rim to the tap ledge

800

cabinet
size mm



Installation
from above

800 mm

Coloured
Components

2.1

COLOUR

	black	570.25.331 (525957)
	anthracite	567.68.300 (523043)
	rock grey	570.25.530 (523044)
	volcano grey	570.25.333 (527323)

COLOUR

	white	570.25.730 (523047)
	soft white	570.25.332 (527140)
	tartufo	570.25.030 (523050)

COLOURED COMPONENT SETS

INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)

SCOPE OF SUPPLY

TECHNICAL DRAWING




○ Pre-drilled holes for tapping or drilling

Bowl depth 220 mm


The optional ash compound chopping board can only be placed on the edge of the bowl if the diameter of the kitchen mixer tap is less than 48 mm.

Drainage components must be ordered separately.




SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



Set TOP-Rails 400

235906
see page 160



BLANCO UNIT WITH PLEON 8

LIVIA-S

see page 114



600 mm

ETAGON 500-U SILGRANIT



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system – elegantly integrated and easy-care

600

cabinet
size mm

Undermount

reddot award 2017
winner

COLOUR

	black	567.72.356 (525887)
	anthracite	567.66.530 (522227)
	rock grey	567.72.556 (522228)
	volcano grey	567.72.656 (527258)

COLOUR

	white	567.66.550 (522231)
	soft white	567.72.756 (527075)
	tartufo	567.72.050 (522234)

COLOURED COMPONENT SETS


INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)

SCOPE OF SUPPLY


2 x ETAGON rails in stainless steel, fixing kit



2 x ETAGON rails


TECHNICAL DRAWING

Bowl depth 200 mm
Cut-out radius: 20 mm
Drainage components must be ordered separately.



SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



BLANCO UNIT WITH ETAGON 500-U

FONTAS-S II Filter

SELECT II 60/3 Orga

see page 120

see page 137



ETAGON 6 SILGRANIT



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system – elegantly integrated and easy-care

600

cabinet
size mm



Installation
from above

600 mm

Coloured
Components

2.1

COLOUR

	black	570.25.306 (525890)
	anthracite	570.25.308 (524539)
	rock grey	570.25.500 (524540)
	volcano grey	570.25.606 (527259)

COLOUR

	white	577.30.730 (524543)
	soft white	570.25.706 (527076)
	tartufo	570.25.000 (524546)

COLOURED COMPONENT SETS


INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)

SCOPE OF SUPPLY


2 x ETAGON rails in stainless steel



2 x ETAGON rails


TECHNICAL DRAWING

○ Pre-drilled holes for tapping or drilling
Bowl depth 220 mm
Drainage components must be ordered separately.



SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



BLANCO UNIT WITH ETAGON 6

FONTAS-S II Filter

SELECT II XL 60/3

see page 120

see page 138



SUBLINE 500-U SILGRANIT

600 mm

Coloured
Components

2.1



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- Entire system for a wide variety of plans featuring large and small bowls



cabinet
size mm



Undermount

COLOUR

	black	570.29.340 (525995)
	anthracite	570.26.310 (523432)
	rock grey	567.67.570 (523433)
	volcano grey	567.67.676 (527353)

COLOUR

	white	570.26.710 (523436)
	soft white	567.67.776 (527170)
	tartufo	565.71.090 (523439)

COLOURED COMPONENT SETS

INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)


SCOPE OF SUPPLY

fixing kit

TECHNICAL DRAWING




Bowl depth 190 mm
Cut-out radius: 10 mm
Drainage components must be ordered separately.
Please order drain connections for combinations of two individual bowls separately.




SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



Set TOP-Rails 400
235906
see page 160



BLANCO UNIT WITH SUBLINE 500-U

LINUS-S

see page 120



FLEXON II 60/3

see page 140



PLEON 6 SILGRANIT



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Timelessly elegant, straight-lined design
- Single bowl with maximum volume thanks to particularly deep bowl
- Continuous, generous tap ledge and low-profile rim
- Easy to clean, flowing transition from the sink's rim to the tap ledge

600

cabinet
size mm



Installation
from above

600 mm

Coloured
Components

2.1

COLOUR

	black	570.24.430 (525953)
	anthracite	570.24.431 (521678)
	rock grey	570.24.433 (521679)
	volcano grey	570.24.436 (527320)

COLOUR

	white	570.24.437 (521683)
	soft white	570.24.434 (527137)
	tartufo	570.24.435 (521686)

COLOURED COMPONENT SETS

INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)

SCOPE OF SUPPLY

TECHNICAL DRAWING




- Pre-drilled holes for tapping or drilling

Bowl depth 220 mm


The optional ash compound chopping board can only be placed on the edge of the bowl if the diameter of the kitchen mixer tap is less than 48 mm.

Drainage components must be ordered separately.




SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



Set TOP-Rails 400
235906
see page 160



BLANCO UNIT WITH PLEON 6

LINUS-S

see page 120



SELECT II 60/3

see page 138



SUBLINE 400-U SILGRANIT

500 mm

Coloured
Components

2.1



- Maximum colour flexibility by choosing complementing waste fitting set in satin gold, black matt, satin dark steel or satin platinum metal finishes (to be ordered with separate article number)
- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- Entire system for a wide variety of plans featuring large and small bowls

500

cabinet
size mm



Undermount

COLOUR

	black	570.26.306 (525990)
	anthracite	570.26.300 (523422)
	rock grey	565.82.530 (523423)
	volcano grey	570.26.606 (527349)

COLOUR

	white	570.26.700 (523426)
	soft white	570.26.706 (527166)
	tartufo	565.82.030 (523429)

COLOURED COMPONENT SETS

INFINO DRAIN SYSTEM WITHOUT REMOTE CONTROL



	black matt		151	565.69.101 (207422)
	satin dark steel		151	565.69.538 (207424)
	satin gold		151	565.69.102 (207423)


SCOPE OF SUPPLY

fixing kit

TECHNICAL DRAWING




Bowl depth 190 mm
Cut-out radius: 10 mm
Drainage components must be ordered separately.
Please order waste connections for combinations of two individual bowls separately.



SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



BLANCO UNIT WITH SUBLINE 400-U

LINUS-S

see page 120



FLEXON II 50/3

see page 141



VINTERA XL 9-UF SILGRANIT



- Striking sink with farmhouse flair, ideal for modern kitchen designs
- Extra-large bowl provides plenty of room
- Perfect fit: right-angled apron front fits the width of a 90 cm cabinet
- One model for flush-mount or undermount installation



reddot winner 2021



900

cabinet
size mm



Undermount



Flushmount
installation

900 mm

COMPOSITE
bowls

2.2

COLOUR



black



anthracite



rock grey



volcano grey



white



soft white



tartufo

SCOPE OF SUPPLY

w/o drain remote control

570.29.376 (526110)

w/o drain remote control

570.29.370 (526101)

w/o drain remote control

570.29.570 (526102)

w/o drain remote control

570.29.374 (526800)

w/o drain remote control

570.29.770 (526105)

w/o drain remote control

570.29.372 (526803)

w/o drain remote control

570.29.373 (526107)

SCOPE OF SUPPLY



waste kit with space-saving pipe, 3 1/2" InFino basket strainer

TECHNICAL DRAWING




Bowl depth 220 mm

Please note the installation details and cut-out information for:

Flushmount: <https://youtu.be/CGRIPZsbQ6Y>

Undermount: <https://youtu.be/jB-uTpOrpCc>




SUGGESTED OPTIONAL ACCESSORIES

Floating grid

234795


see page 160



Bamboo cutting board

239449

see page 162



BLANCO UNIT WITH VINTERA XL 9-UF

BLANCOCULINA-S II
Sensor

see page 109



FLEXON II Low 90/4

see page 142



SUBLINE-U SILGRANIT

900 mm

COMPOSITE
bowls



2.2



- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- Entire system for a wide variety of plans featuring large and small bowls
- High-quality features with covered C-overflow and InFino drain system
 - elegantly integrated and easy-care
- Optional versatile accessories are available



Undermount


CABINET SIZE MM	900	900
SUBLINE-U	480/320-U	800-U
		
	Bowl left	
 black	567.66.346 (525993)	565.81.791 (526005)
 anthracite	567.66.340 (523584)	565.81.797 (523141)
 rock grey	567.66.546 (523585)	565.81.793 (523142)
 volcano grey	567.66.646 (527351)	565.81.796 (527357)
 white	567.66.740 (523588)	565.81.790 (523145)
 soft white	567.66.746 (527168)	565.81.794 (527174)
 tartufo	567.66.047 (523591)	565.81.795 (523148)
BOWL DEPTH	200/200 mm	220 mm
		
BOWL RADIUS	 R10	
	Cut-out radius: 10 mm	Cut-out radius: 10 mm
PLANNING NOTE		Please order waste connections for combinations of two individual bowls separately.
SCOPE OF SUPPLY InFino drain system without remote control	waste kit with space-saving pipe, waste connection, 2 x 3 1/2" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

SUGGESTED OPTIONAL ACCESSORIES

Set TOP-Rails 400

235906

see page 160




Ash compound cutting

board

230700

see page 162



BLANCO UNIT WITH SUBLINE-U

LINUS-S

see page 120



FLEXON II Low 90/4

see page 142



METRA 9 SILGRANIT



- Young, straight-lined design
- The large capacity of the bowl provides generous room to do the washing up
- Large tap ledge for installation of mixer tap and soap dispenser

900

cabinet
size mm



Installation
from above

900 mm

COMPOSITE
bowls

2.2

COLOUR	SCOPE OF SUPPLY	BOWL LEFT
black	w/o drain remote control	565.70.358 (525936)
anthracite	w/o drain remote control	565.70.352 (513273)
rock grey	w/o drain remote control	565.70.552 (518886)
volcano grey	w/o drain remote control	565.70.000 (527304)
white	w/o drain remote control	565.70.752 (513269)
soft white	w/o drain remote control	565.70.726 (527121)
tartufo	w/o drain remote control	565.70.052 (517364)


SCOPE OF SUPPLY

waste kit with space-saving pipe, 2 x 3 1/2" basket strainer

TECHNICAL DRAWING




○ Pre-drilled holes for tapping or drilling
Bowl depth 190/190 mm



SUGGESTED OPTIONAL ACCESSORIES

Beech cutting board

218313
see page 162



BLANCO UNIT WITH METRA 9

LINUS-S

see page 120



BOTTOM II 30/2

see page 145



NAYA XL 9 SILGRANIT

900 mm

COMPOSITE
bowls

2.2



- Generous bowl for multiple works in and around the sink
- Soft internal corners in the bowl for easy cleaning
- Mindful shape that integrates nicely within the kitchen design
- Continuous ledge frames the water area and protects the worktop from water splashes

900

cabinet
size mm



Installation
from above

COLOUR

black

anthracite

rock grey

volcano grey

white

soft white

tartufo

SCOPE OF SUPPLY

w/o drain remote control

570.25.326 (525947)

w/o drain remote control

570.25.320 (521811)

w/o drain remote control

570.25.520 (521813)

w/o drain remote control

570.25.521 (527316)

w/o drain remote control

570.25.720 (521816)

w/o drain remote control

570.25.726 (527133)

w/o drain remote control

570.25.020 (521819)


SCOPE OF SUPPLY

waste kit with space-saving pipe, 3 1/2" basket strainer

TECHNICAL DRAWING



○ Pre-drilled holes for tapping or drilling
Bowl depth 220 mm





SUGGESTED OPTIONAL ACCESSORIES

Set TOP-Rails 400

Beech cutting board

235906
see page 160

225362
see page 162



BLANCO UNIT WITH NAYA XL 9

LINUS-S

FLEXON II Low 90/4

see page 120

see page 142



ETAGON 8 SILGRANIT



- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system – elegantly integrated and easy-care
- Installation from above, with elegant, low-profile rim and continuous tap ledge



800 cabinet size mm | Installation from above

800 mm


COMPOSITE bowls
2.2

COLOUR	SCOPE OF SUPPLY	
black	w/o drain remote control, with accessories	570.24.420 (525893)
anthracite	w/o drain remote control, with accessories	577.30.320 (525187)
rock grey	w/o drain remote control, with accessories	577.30.520 (525188)
volcano grey	w/o drain remote control, with accessories	577.30.626 (527262)
white	w/o drain remote control, with accessories	577.30.720 (525191)
soft white	w/o drain remote control, with accessories	577.30.726 (527079)
tartufo	w/o drain remote control, with accessories	577.30.020 (525194)

SCOPE OF SUPPLY




2 x ETAGON rails in stainless steel, waste kit with space-saving pipe,
3 ½" InFino basket strainer with drain remote control (pop-up, chrome-plated)
or
2 x ETAGON rails in stainless steel, waste kit with space-saving pipe,
3 ½" InFino basket strainer



2 x ETAGON rails


TECHNICAL DRAWING

○ Pre-drilled holes for tapping or drilling
Bowl depth 220 mm



SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



BLANCO UNIT WITH ETAGON 8

CULINA-S II

see page 110



FLEXON II Low 80/3

see page 142



NAYA 6 SILGRANIT

600 mm

COMPOSITE
bowls

2.2



- Generous bowl for multiple works in and around the sink
- Soft internal corners in the bowl for easy cleaning
- Mindful shape that integrates nicely within the kitchen design
- Continuous ledge frames the water area and protects the worktop from water splashes

600

cabinet
size mm



Installation
from above

COLOUR



black



anthracite



rock grey



volcano grey



white



soft white



tartufo

SCOPE OF SUPPLY

w/o drain remote control

565.71.336 (525941)

w/o drain remote control

565.71.330 (519638)

w/o drain remote control

565.71.536 (519639)

w/o drain remote control

565.71.636 (527311)

w/o drain remote control

565.71.730 (519641)

w/o drain remote control

565.71.736 (527128)

w/o drain remote control

565.71.030 (519644)


SCOPE OF SUPPLY

waste kit with space-saving pipe, 3 1/2" basket strainer

TECHNICAL DRAWING



○ Pre-drilled holes for tapping or drilling
Bowl depth 200 mm





SUGGESTED OPTIONAL ACCESSORIES

Set TOP-Rails 400

Beech cutting board

235906
see page 160

225362
see page 162



BLANCO UNIT WITH NAYA 6

LINEE-S

BOTTON Pro 60/3 Manual

see page 112-113

see page 144



PLEON 5 SILGRANIT



- Timelessly elegant, straight-lined design
- Single bowl with maximum volume thanks to particularly deep bowl
- Continuous, generous tap ledge and low-profile rim
- Easy to clean, flowing transition from the sink's rim to the tap ledge
- High-quality features with the covered C-overflow and InFino drain system – elegantly integrated and easy-care

500

cabinet
size mm



Installation
from above

500 mm

COMPOSITE
bowls

2.2

COLOUR



black



anthracite



rock grey



volcano grey



white



soft white



tartufo

SCOPE OF SUPPLY

w/o drain remote control

570.25.472 (525951)

w/o drain remote control

570.25.471 (521504)

w/o drain remote control

570.25.474 (521669)

w/o drain remote control

570.25.477 (527318)

w/o drain remote control

570.25.478 (521672)

w/o drain remote control

570.25.475 (527135)

w/o drain remote control

570.25.476 (521675)

SCOPE OF SUPPLY



waste kit with space-saving pipe, 3 1/2" InFino basket strainer


TECHNICAL DRAWING



○ Pre-drilled holes for tapping or drilling


Bowl depth 220 mm

The optional ash compound chopping board can only be placed on the edge of the bowl if the diameter of the kitchen mixer tap is less than 48 mm.




SUGGESTED OPTIONAL ACCESSORIES


Ash compound cutting
board
230700
see page 162



Set TOP-Rails 400
235906
see page 160



Foldable Grid 460x425
238482
see page 160



BLANCO UNIT WITH PLEON 5

LINUS-S

see page 120



SELECT II 50/2

see page 139



NAYA 5 SILGRANIT

500 mm

COMPOSITE
bowls

2.2



- Generous bowl for multiple works in and around the sink
- Soft internal corners in the bowl for easy cleaning
- Mindful shape that integrates nicely within the kitchen design
- Continuous ledge frames the water area and protects the worktop from water splashes

500 cabinet size mm | Installation from above

COLOUR

black

anthracite

rock grey

volcano grey

white

soft white

tartufo

SCOPE OF SUPPLY

w/o drain remote control

570.25.001 (526578)

w/o drain remote control

570.25.004 (526579)

w/o drain remote control

570.25.003 (526580)

w/o drain remote control

570.25.008 (527310)

w/o drain remote control

570.25.007 (526582)

w/o drain remote control

570.25.006 (527127)

w/o drain remote control

570.25.005 (526584)


SCOPE OF SUPPLY

waste kit with space-saving pipe, 3 1/2" basket strainer

TECHNICAL DRAWING



○ Pre-drilled holes for tapping or drilling
Bowl depth 200 mm




SUGGESTED OPTIONAL ACCESSORIES

Beech cutting board

225362


see page 162



Floating grid

234795

see page 160



BLANCO UNIT WITH NAYA 5

LINEE-S

see page 112-113



BOTTON Pro 45/2 Manual

see page 144



SUBLINE SILGRANIT



- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- Entire system for a wide variety of plans featuring large and small bowls
- High-quality features with covered C-overflow and InFino drain system
 - elegantly integrated and easy-care
- Optional versatile accessories are available





Undermount

400 mm

COMPOSITE
bowls

2.2


CABINET SIZE MM	400	300
SUBLINE-U	320-U	160-U
		
 black	570.28.326 (525983)	525981
 anthracite	526.00.848 (523406)	523396
 rock grey	565.71.580 (523407)	523397
 volcano grey	565.71.686 (527343)	526799
 white	565.71.780 (523410)	523400
 soft white	565.71.786 (527160)	526802
 tartufo	570.28.020 (523414)	523403
BOWL RADIUS 	 Bowl depth 190 mm Cut-out radius: 10 mm Please order waste connections for combinations of two individual bowls separately.	 Bowl depth 130 mm Cut-out radius: 10 mm Please order waste connections for combinations of two individual bowls separately.
SCOPE OF SUPPLY InFino drain system without remote control 	waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit	

SUGGESTED OPTIONAL ACCESSORIES

Set TOP-Rails 400

235906

see page 160




Ash compound cutting

board

230700

see page 162



BLANCO UNIT WITH SUBLINE 320-U

LINUS

see page 122-123



BOTTON II

see page 145





3 STAINLESS STEEL BOWLS



Stainless Steel
bowls

3

ANDANO
CLARON
ZEROX

72, 76, 80-81, 83
82
73-75, 77-79

ANDANO 400/400-U STAINLESS STEEL

900 mm



- Unique composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system – gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Optional premium accessories are available

900

cabinet
size mm




Undermount



Stainless steel
bowl

3

SURFACE



satin polish

SCOPE OF SUPPLY

w/o drain remote control

565.75.520 (522987)

SCOPE OF SUPPLY




waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING




Bowl depth 190/190 mm




SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



Multifunctional basket
223297
see page 161



BLANCO UNIT WITH ANDANO 400/400-U

FLEXON II Low 90/4

see page 142



ZEROX 700-U DURINOX DARK STEEL

STAINLESS STEEL



- Strikingly right-angled stainless steel bowls with an elegant, dark grey surface
- Pleasantly warm to the touch thanks to high-quality, pure, non-coated stainless steel
- Harmonious surface mix: Inset rim and drain set stylish accents in polished stainless steel
- Versatile: Can be combined with a plethora of colours and materials

800

cabinet
size mm



Undermount



reddot winner 2024

800 mm

SURFACE



Durinox Dark Steel

SCOPE OF SUPPLY

w/o drain remote control

565.75.566 (526244)

SCOPE OF SUPPLY




waste kit with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING



Bowl depth 185 mm



Stainless steel
bow

3



SUGGESTED OPTIONAL ACCESSORIES

Foldable Grid 460x425

Multifunctional basket

238482
see page 160

223297
see page 161



BLANCO UNIT WITH ZEROX 700-U DURINOX DARK STEEL

BLANCOCULINA-S II

see page 110



ZEROX 700-U DURINOX STAINLESS STEEL

800 mm



- Zero radius design with the striking rectangular bowl geometry
- Matt velvet look with a homogeneous surface structure and pleasantly warm to the touch
- Highly resistant to scratches
- High-quality features with the covered C-overflow and InFino drain system – elegantly integrated and easy-care
- Easy to combine, matching accessory solutions

800

cabinet
size mm



Undermount

Stainless steel
bowl

3

SURFACE

Durinox

SCOPE OF SUPPLY

w/o drain remote control

570.27.410 (521560)

SCOPE OF SUPPLY




waste kit with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING




Bowl depth 185 mm
Note: Please order drain connections for combinations of two individual bowls separately.



SUGGESTED OPTIONAL ACCESSORIES

Multifunctional basket

223297
see page 161



BLANCO UNIT WITH ZEROX 700-U DURINOX

LINEE-S

see page 112-113



ZEROX 700-U STAINLESS STEEL



- Zero-radius design with striking, right-angled bowl geometry
- InFino drain system – elegantly integrated and easy-care
- Easy to combine, matching accessory solutions

800

cabinet
size mm



Undermount

800 mm

SURFACE



satin polish

SCOPE OF SUPPLY

w/o drain remote control

565.75.560 (521593)

SCOPE OF SUPPLY




waste kit with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING



Bowl depth 185 mm
Note: Please order drain connections for combinations of two individual bowls separately.




Stainless steel
bowl

3

SUGGESTED OPTIONAL ACCESSORIES

Multifunctional basket

223297
see page 161



BLANCO UNIT WITH ZEROX 700-U

LINEE-S

FLEXON II Low 80/3

see page 112-113

see page 142



ANDANO-U STAINLESS STEEL





- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system – gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Optional premium accessories are available




Undermount



CABINET SIZE MM	800	800
ANDANO-U	340/340-U	700-U
		
 satin polish	565.75.640 (522983)	565.75.660 (522971)
BOWL DEPTH	190/190 mm	190 mm
BOWL RADIUS		
PLANNING NOTE		Note: Please order drain connections for combinations of two individual bowls separately.
SCOPE OF SUPPLY InFino drain system without remote control	waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting board
230700
see page 162



BLANCO UNIT WITH ANDANO-U

CATRIS-S

see page 116-117



FLEXON II Low 80/3

see page 142



ZEROX 500-U DURINOX DARK STEEL

STAINLESS STEEL



- Strikingly right-angled stainless steel bowls with an elegant, dark grey surface
- Pleasantly warm to the touch thanks to high-quality, pure, non-coated stainless steel
- Harmonious surface mix: Inset rim and drain set stylish accents in polished stainless steel
- Versatile: Can be combined with a plethora of colours and materials

600

cabinet
size mm



Undermount



reddot winner 2024

600 mm

SURFACE



Durinox Dark Steel

SCOPE OF SUPPLY

w/o drain remote control

565.75.556 (526243)

SCOPE OF SUPPLY




waste kit with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING



Bowl depth 175 mm



Stainless steel
bowl

3



SUGGESTED OPTIONAL ACCESSORIES

Foldable Grid 460x425

Multifunctional basket

238482
see page 160

223297
see page 161



BLANCO UNIT WITH ZEROX 500-U DURINOX DARK STEEL

BLANCOCULINA-S II

see page 110



ZEROX 500-U DURINOX STAINLESS STEEL

600 mm



- Zero radius design with the striking rectangular bowl geometry
- Matt velvet look with a homogeneous surface structure and pleasantly warm to the touch
- Highly resistant to scratches
- High-quality features with the covered C-overflow and InFino drain system – elegantly integrated and easy-care
- Easy to combine, matching accessory solutions

600

cabinet
size mm



Undermount

Stainless steel
bowl

3

SURFACE

Durinox

SCOPE OF SUPPLY

w/o drain remote control

570.27.400 (521559)

SCOPE OF SUPPLY




waste kit with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING




Bowl depth 175 mm
Note: Please order drain connections for combinations of two individual bowls separately.



SUGGESTED OPTIONAL ACCESSORIES

Multifunctional basket

223297
see page 161



BLANCO UNIT WITH ZEROX 500-U DURINOX

LINEE-S

see page 112-113



ZEROX-U STAINLESS STEEL



- Zero-radius design with striking, right-angled bowl geometry
- InFino drain system – elegantly integrated and easy-care
- Easy to combine, matching accessory solutions



Undermount

600 mm


Stainless steel
bowl
3

CABINET SIZE MM	600	600	600
ZEROX-U	340/180-U	340/180-U	500-U
	Bowl right	Bowl left	
satin polish	565.67.953 (521614)	565.67.954 (521613)	565.75.550 (521589)
BOWL DEPTH	175/130 mm	175/130 mm	175 mm
BOWL RADIUS			
PLANNING NOTE			Note: Please order drain connections for combinations of two individual bowls separately.
SCOPE OF SUPPLY InFino drain system without remote control	waste kit with space saving pipe, waste connection, 2 x 3 1/2" InFino basket strainer, fixing kit	waste kit with space saving pipe, waste connection, 2 x 3 1/2" InFino basket strainer, fixing kit	waste kit with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

SUGGESTED OPTIONAL ACCESSORIES

Foldable Grid 460x425

238482
see page 160



BLANCO UNIT WITH ZEROX-U

LINEE-S

see page 112-113



ANDANO-U STAINLESS STEEL



- Unique composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system – gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Optional premium accessories are available



Undermount



600 mm

Stainless steel bowl

3

CABINET SIZE MM

600

600

ANDANO-U

340/180-U

500-U



Bowl right

 satin polish

565.66.860 (522977)



522967

BOWL DEPTH

190/130 mm

190 mm

BOWL RADIUS



PLANNING NOTE

SCOPE OF SUPPLY
InFino drain system without
remote control




waste kit with space-saving pipe,
2 x 3 1/2" InFino basket strainer,
fixing kit

Note: Please order drain
connections for combinations of
two individual bowls separately.

waste kit with space-saving pipe,
3 1/2" InFino basket strainer,
fixing kit

SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



BLANCO UNIT WITH ANDANO-U

FLEXON II 60/3

see page 141



ANDANO 450-U STAINLESS STEEL



- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system – gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Optional premium accessories are available

500

cabinet
size mm



Undermount



500 mm

SURFACE



satin polish

SCOPE OF SUPPLY

w/o drain remote control

565.75.880 (522963)

SCOPE OF SUPPLY




waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING




Bowl depth 190 mm
Note: Please order drain connections for combinations of two individual bowls separately.




SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



Foldable Grid 460x425
238482
see page 160



BLANCO UNIT WITH ANDANO 450-U

FLEXON II 50/3

see page 141



CLARON 400-U STAINLESS STEEL

450 mm



- Elegant-pure bowl design
- Concise 10 mm radius for a more refined design, without doing away with practical benefits
- Optimum utilisation of the bowl capacity thanks to extra-deep bowls and distinctively small radii
- InFino drain system – elegantly integrated and easy-care

450

cabinet
size mm



Undermount

SURFACE



satin polish

SCOPE OF SUPPLY

w/o drain remote control

565.75.570 (521573)

SCOPE OF SUPPLY




waste kit with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING




Bowl depth 190 mm
Please order drain connections for combinations of two individual bowls separately



SUGGESTED OPTIONAL ACCESSORIES

Set TOP-Rails 400

235906
see page 160



BLANCO UNIT WITH CLARON 400-U

SELECT II 45/2

see page 139



ANDANO 340-U STAINLESS STEEL



- Unique composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system – gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Optional premium accessories are available

400

cabinet
size mm



Undermount



400 mm

SURFACE



satin polish

SCOPE OF SUPPLY

w/o drain remote control

565.75.870 (522955)

SCOPE OF SUPPLY




waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

TECHNICAL DRAWING



Bowl depth 190 mm
Note: Please order drain connections for combinations of two individual bowls separately.




Stainless steel
bowl

3

SUGGESTED OPTIONAL ACCESSORIES

Ash compound cutting
board
230700
see page 162



Foldable Grid 460x425
238482
see page 160



BLANCO UNIT WITH ANDANO 340-U

BOTTOM II

see page 145





4 COMPOSITE SINKS



ADIRA
SONA
ZIA

88-89
86, 90, 92
87, 91, 93

SONA 8 S SILGRANIT



- Modern, independent design
- Two bowls of the same size for maximum comfort when washing dishes
- Harmoniously integrated outlet on tap ledge
- Generous, strikingly-profiled tap ledge
- Specially for the 80-cm base cabinet
- Can be installed reversibly

800

cabinet
size mm



Installation
from above

800 mm

COMPOSITE
sinks

4

COLOUR	SCOPE OF SUPPLY	REVERSIBLE
 black	w/o drain remote control	567.70.502 (525979)
 anthracite	w/o drain remote control	567.70.300 (519698)
 rock grey	w/o drain remote control	567.70.500 (519699)
 volcano grey	w/o drain remote control	567.70.501 (527339)
 white	w/o drain remote control	567.70.700 (519701)
 soft white	w/o drain remote control	567.70.503 (527156)
 tartufo	w/o drain remote control	567.70.504 (519705)


SCOPE OF SUPPLY

waste kit with space-saving pipe, 2 x 3 1/2" basket strainer

TECHNICAL DRAWING



○ Pre-drilled holes for tapping or drilling
Bowl depth 190/190 mm





SUGGESTED OPTIONAL ACCESSORIES

Beech cutting board

Multifunctional basket

218313
see page 162

223297
see page 161



ZIA 8 S SILGRANIT



- Modern design with clear lines
- Straight-lined outer contour emphasised by the narrow rim
- Characteristic tap ledge as a frame that enlarges the drainer
- Spacious double bowl sink with drainer provides a high degree of comfort
- Classic bowl arrangement for reversible installation

800

cabinet
size mm



Installation
from above

COLOUR	SCOPE OF SUPPLY	REVERSIBLE
 black	w/o drain remote control	565.76.151 (526027)
 anthracite	w/o drain remote control	565.76.350 (515605)
 volcano grey	w/o drain remote control	565.76.153 (527392)
 white	w/o drain remote control	565.76.750 (515597)
 soft white	w/o drain remote control	565.76.152 (527209)

800 mm


COMPOSITE
sinks

4



SCOPE OF SUPPLY
waste kit with space-saving pipe, 2 x 3 ½" basket strainer

TECHNICAL DRAWING

○ Pre-drilled holes for tapping or drilling
Bowl depth 190/190 mm



SUGGESTED OPTIONAL ACCESSORIES

Beech cutting board	Multifunctional basket
218313 see page 162	223297 see page 161
	

ADIRA 6 S SILGRANIT



- Modern sink in beautiful Silgranit colours with extended functionality
- High level of comfort due to XL bowl combined with a practical drain and a plain drain area
- The multifunctional ADIRA grid is included and can be used to create a top-level on the bowl or as a drainer.
- The included colander bin fits in the secondary bowl and is great for prepping tasks with water. It can also be stored in FLEXON II and SELECT II bins in the base cabinet.

600

cabinet
size mm



Installation
from above



600 mm

COMPOSITE
sinks

4

COLOUR	SCOPE OF SUPPLY	REVERSIBLE
black	with drain remote control, with accessories	570.24.011 (527601)
anthracite	with drain remote control, with accessories	570.24.311 (527602)
rock grey	with drain remote control, with accessories	570.24.511 (527603)
volcano grey	with drain remote control, with accessories	570.24.617 (527604)
white	with drain remote control, with accessories	570.24.711 (527605)
soft white	with drain remote control, with accessories	570.24.712 (527606)
tartufo	with drain remote control, with accessories	570.24.012 (527607)

SCOPE OF SUPPLY	TECHNICAL DRAWING
foldable ADIRA grid, multifunctional plastic colander, waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer with drain remote control (rotary switch) for the main bowl Foldable ADIRA Grid Multifunctional colander	1000 310 400 500 152 25 360 35 50

SUGGESTED OPTIONAL ACCESSORIES	BLANCO UNIT WITH ADIRA 6 S
Beech cutting board 218313 see page 162	SELECT II 60/2 Orga see page 137
Floating grid 234795 see page 160	

ADIRA XL 6 S SILGRANIT



- Modern sink in beautiful Silgranit colours with extended functionality
- High level of comfort due to XL bowl combined with a practical drain and a plain drain area
- The multifunctional ADIRA grid is included and can be used to create a top-level on the bowl or as a drainer
- Can be installed reversibly

600

cabinet
size mm



Installation
from above



COLOUR	SCOPE OF SUPPLY	REVERSIBLE
 black	with drain remote control, with accessories	570.24.020 (527617)
 anthracite	with drain remote control, with accessories	570.24.310 (527618)
 rock grey	with drain remote control, with accessories	570.24.510 (527619)
 volcano grey	with drain remote control, with accessories	567.70.301 (527620)
 white	with drain remote control, with accessories	570.24.710 (527621)
 soft white	with drain remote control, with accessories	570.24.709 (527622)
 tartufo	with drain remote control, with accessories	570.24.010 (527623)

600 mm

COMPOSITE
sinks

4

SCOPE OF SUPPLY



foldable ADIRA grid, waste kit with space-saving pipe, 3 1/2" InFino basket strainer with drain remote control (rotary switch)




Foldable ADIRA Grid

TECHNICAL DRAWING




Bowl depth 200 mm



SUGGESTED OPTIONAL ACCESSORIES

Beech cutting board

218313
see page 162



BLANCO UNIT WITH ADIRA XL 6 S

SELECT II 60/2 Orga

see page 137



SONA XL 6 S SILGRANIT



- Modern, independent design
- Particularly spacious XL bowl for even more room when washing dishes
- Generous, strikingly-profiled tap ledge
- Specially for the 60-cm base cabinet
- Can be installed reversibly

600

cabinet
size mm




Installation
from above



600 mm

COMPOSITE
sinks

4

COLOUR	SCOPE OF SUPPLY	REVERSIBLE
 black	w/o drain remote control	570.26.371 (525977)
 anthracite	w/o drain remote control	570.26.370 (519689)
 rock grey	w/o drain remote control	570.26.374 (519690)
 volcano grey	w/o drain remote control	570.26.676 (527341)
 white	w/o drain remote control	570.26.770 (519692)
 soft white	w/o drain remote control	570.26.771 (527158)
 tartufo	w/o drain remote control	570.26.373 (519696)

SCOPE OF SUPPLY	TECHNICAL DRAWING
waste kit with space-saving pipe, 3 1/2" basket strainer	 Pre-drilled holes for tapping or drilling Bowl depth 190 mm

SUGGESTED OPTIONAL ACCESSORIES		BLANCO UNIT WITH SONA XL 6 S
Beech cutting board	Multifunctional basket	BOTTON Pro 60/3 Automatic
218313 see page 162	223297 see page 161	see page 143
		

ZIA SILGRANIT



- Modern design with clear lines
- Straight-lined outer contour emphasised by the narrow rim
- Characteristic tap ledge as a frame that enlarges the drainer
- XL bowl for even more space when washing your dishes
- Classic bowl arrangement for reversible installation



Installation
from above

CABINET SIZE MM	600	500
ZIA	XL 6 S	5 S
	Bowl right	Bowl right
black	567.66.001 (526024)	567.69.501 (526016)
anthracite	567.66.000 (517568)	567.69.500 (520511)
volcano grey	567.66.003 (527400)	567.69.504 (527387)
white	567.66.040 (517571)	567.69.505 (520515)
soft white	567.66.002 (527217)	567.69.503 (527204)
BOWL RADIUS	Pre-drilled holes for tapping or drilling Bowl depth 190 mm	Pre-drilled holes for tapping or drilling Bowl depth 190 mm
PLANNING NOTE		
SCOPE OF SUPPLY InFino drain system without remote control	waste kit with space-saving pipe, 3 1/2" basket strainer	waste kit with space-saving pipe, 3 1/2" basket strainer

600 mm


COMPOSITE
sinks

4

SUGGESTED OPTIONAL ACCESSORIES


Beech cutting board

218313
see page 162



Multifunctional basket

223297
see page 161



BLANCO UNIT WITH ZIA

SELECT II 60/3

see page 138



SELECT II 50/2

see page 139



SONA 5 S SILGRANIT



- Modern, independent design
- Spacious main bowl with plenty of room for washing dishes
- Generous, strikingly-profiled tap ledge
- Specially for the 50-cm base cabinet
- Can be installed reversibly

500

cabinet
size mm



Installation
from above

500 mm

COMPOSITE
sinks

4

COLOUR	SCOPE OF SUPPLY	REVERSIBLE
 black	w/o drain remote control	570.29.430 (525972)
 anthracite	w/o drain remote control	570.29.330 (519671)
 rock grey	w/o drain remote control	570.29.530 (519672)
 volcano grey	w/o drain remote control	570.29.534 (527334)
 white	w/o drain remote control	570.29.730 (519674)
 soft white	w/o drain remote control	570.29.532 (527151)
 tartufo	w/o drain remote control	570.29.533 (519678)


SCOPE OF SUPPLY

waste kit with space-saving pipe, 3 1/2" basket strainer

TECHNICAL DRAWING




○ Pre-drilled holes for tapping or drilling
Bowl depth 190 mm



SUGGESTED OPTIONAL ACCESSORIES


Beech cutting board

218313
see page 162



Multifunctional basket

223297
see page 161



BLANCO UNIT WITH SONA 5 S

SELECT II 50/3

see page 139



ADIRA 45 S SILGRANIT



- Modern sink in beautiful Silgranit colours with extended functionality
- High level of comfort due to XL bowl combined with a practical drain and a plain drain area
- The multifunctional ADIRA grid is included and can be used to create a top-level on the bowl or as a drainer
- Can be installed reversibly

450

cabinet
size mm



Installation
from above



reddot winner 2024

450 mm

COMPOSITE
sinks

4

COLOUR	SCOPE OF SUPPLY	REVERSIBLE
 black	with drain remote control, with accessories	570.24.025 (527585)
 anthracite	with drain remote control, with accessories	570.24.315 (527586)
 rock grey	with drain remote control, with accessories	570.24.515 (527587)
 volcano grey	with drain remote control, with accessories	570.24.625 (527588)
 white	with drain remote control, with accessories	570.24.715 (527589)
 soft white	with drain remote control, with accessories	570.24.716 (527590)
 tartufo	with drain remote control, with accessories	570.24.015 (527591)

SCOPE OF SUPPLY



foldable ADIRA grid, waste kit with space-saving pipe, 3 1/2" InFino basket strainer with drain remote control (rotary switch)




Foldable ADIRA Grid

TECHNICAL DRAWING




Bowl depth 200 mm



SUGGESTED OPTIONAL ACCESSORIES

Beech cutting board

218313
see page 162



BLANCO UNIT WITH ADIRA 45 S

SELECT II 45/2

see page 139







5 ENHANCED WATER

5.1	FILTER TAPS	97-100
	FONTAS II	97-100
5.2	CONSUMABLES	101-102
	DRINK FILTER	101
	DRINK FILTER SETS	102
5.3	TECHNICAL COMPONENTS	103
	FLOWMETER	103
	FILTER HEAD	103

OVERVIEW BLANCO DRINK.SYSTEMS

			Solid spout	Extendable spray	Pull-out dual spray	Filter	Measuring cup function	Power supply required
								
	MODEL	PAGE						
	FONTAS-S II Filter	99-100						
	FONTAS II Filter	101-102						

FONTAS-S II FILTER



- Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose
- Separate water circuit: cold and warm water lever on the right, filtered water lever on the left
- Extra spout for filtered water – no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Surface finishes to perfectly match sinks and bowls



Filter



Extendable
spray

PVD

	satin dark steel	569.15.005 (527737)
	PVD steel	569.03.140 (525199)
	satin gold	569.15.007 (526694)

METALLIC SURFACE


	chrome	569.03.240 (525198)
---	--------	---------------------

SPECIAL COLOURS

	black matt	569.03.910 (526672)
---	------------	---------------------

TECHNICAL DRAWING

Flowrate 7.7 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 180° swivel spout for greater reach
- Ø 35 mm tap hole required
- Ceramic valve and disk cartridge
- Clear stream aerator
- Spray made of metal
- Nylon-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- Filter system not included

SUGGESTED OPTIONAL ACCESSORIES

Drink Filter Set Soft L

527453
see page 102



RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 131



FONTAS-S II FILTER



- Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose
- Separate water circuit: cold and warm water lever on the right, filtered water lever on the left
- Extra spout for filtered water – no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Surface finishes to perfectly match sinks and bowls



Filter




Extendable
spray

SILGRANIT LOOK

	black	569.03.380 (526158)
	anthracite	569.03.340 (525200)
	rock grey	569.15.006 (525207)
	volcano grey	570.24.646 (526946)
	white	569.03.740 (525204)
	soft white	569.15.010 (526947)
	tartufo	569.15.008 (525206)

TECHNICAL DRAWING

Flowrate 7.7 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 180° swivel spout for greater reach
- Ø 35 mm tap hole required
- Ceramic valve and disk cartridge
- Clear stream aerator
- Spray made of metal
- Nylon-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- Filter system not included

SUGGESTED OPTIONAL ACCESSORIES

Drink Filter Set Soft L

527453
see page 102



RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 131



FONTAS II FILTER



- Comfortable 3-in-1-mixer tap with cold and warm water lever on the right, filtered water lever on the left
- Separate water circuit with extra spout for filtered water – no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Spout can be swivelled through 360° for greater cover



Filter



Solid
spout

PVD

	satin dark steel	569.15.000 (527736)
	PVD steel	569.15.140 (523129)
	satin gold	569.15.001 (526692)

METALLIC SURFACE


	chrome	569.15.240 (523128)
--	--------	---------------------

SPECIAL COLOURS

	black matt	569.03.911 (526670)
--	------------	---------------------

TECHNICAL DRAWING

Flowrate 9.5 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- Ceramic valve and disk cartridge
- Clear stream aerator
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- Filter system not included

SUGGESTED OPTIONAL ACCESSORIES

Drink Filter Set Soft L

527453
see page 102



RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 131



FONTAS II FILTER



- Comfortable 3-in-1-mixer tap with cold and warm water lever on the right, filtered water lever on the left
- Separate water circuit with extra spout for filtered water – no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Spout can be swivelled through 360° for greater cover



Filter




Solid
spout

SILGRANIT LOOK

	black	569.15.346 (526157)
	anthracite	569.15.340 (523130)
	rock grey	569.15.540 (523137)
	volcano grey	569.15.004 (526942)
	white	569.15.740 (523134)
	soft white	569.15.003 (526943)
	tartufo	569.15.040 (523136)

TECHNICAL DRAWING

Flowrate 9.5 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- Ceramic valve and disk cartridge
- Clear stream aerator
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- Filter system not included

SUGGESTED OPTIONAL ACCESSORIES

Drink Filter Set Soft L

527453
see page 102



RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 131



CONSUMABLES

DRINK FILTER



- With their different features, BLANCO water filters turn your kitchen into a perfect source of drinking water and can be installed in any BLANCO filter tap.
- Water filters built into the base cabinet refine tap water for a markedly better taste – whether you're drinking it on its own or using it to make tea or coffee.
- To be combined with BLANCO drink.systems and filter taps

DRINK FILTER



- BLANCO Drink Filter Soft L
- Ion exchange with activated carbon filter
- Reduces particles, chlorine and certain organic components in water
- Provides protection against limescale deposits, reduces heavy metals
- Filter capacity: 1660 litres at 12 °dGH (general German hardness)
- Designed for all BLANCO drink.hot and drink.filter

525273



- BLANCO Drink Filter Soft S
- Ion exchange with activated carbon filter
- Reduces particles, chlorine and certain organic components in water
- Provides protection against limescale deposits, reduces heavy metals
- Filter capacity: 670 litres at 12 °dKH (German carbonate hardness)
- Designed for all BLANCO drink.systems

526259



- BLANCO Drink Filter Soft Magnesium M
- Ion exchange with magnesium-enrichment and activated carbon filter
- Reduces particles, chlorine and certain organic components in water
- Provides protection against limescale deposits, reduces heavy metals
- Enriches the water with the valuable mineral magnesium
- Filter capacity: 520 litres at 12 °dGH (general German hardness)
- Designed for all BLANCO drink.systems

526260



- BLANCO Drink Filter Microplastic S
- Microplastic filter with active carbon
- Reduces microplastic and other particles above 0,001 mm as well as chlorine and certain organic components in water
- Filter capacity: 1500 litres at 12 °dKH (German carbonate hardness)
- Designed for all BLANCO drink.systems and less than 12 °dKH

527454

CONSUMABLES

DRINK FILTER SETS



- Starter Set including water connections, filter head and control box with integrated display to show remaining filter capacity.
- To be combined with BLANCO drink.systems and filter taps
- With their different features, BLANCO water filters turn your kitchen into a perfect source of drinking water and can be installed in any BLANCO filter tap.
- Water filters built into the base cabinet refine tap water for a markedly better taste – whether you're drinking it on its own or using it to make tea or coffee.

DRINK FILTER SETS



- BLANCO Drink Filter Set Soft L
- Ion exchange with activated carbon filter
- Removes particles, chlorine and certain organic components from the water.
- Provides protection against limescale deposits, reduces heavy metals
- Filter capacity: 1660 litres at 12 °dGH (general German hardness)
- Designed for BLANCO drink.hot and drink.filter
- Includes water connections, filter head and control box with integrated display to show remaining filter capacity

527453

TECHNICAL COMPONENTS

TECHNICAL COMPONENTS



— Whether solving challenging installation situations or serving as replacement parts – our technical components are ready when you need them.

TECHNICAL COMPONENTS		
	— Flowmeter	525237
	— BLANCO filter head	525274





6 MIXER TAPS

6.1	MIXER TAPS	108-128
	AVONA	115
	CARENA	118-119
	CATRIS	116-117
	BLANCOCULINA II	109-111
	LINEE	112-113
	LINUS	120-123
	LIVIA	114
	LUNEOO	108
	MIDA	124-125
	MILA	126-127
	MILI	128
6.2	WINDOW FACING MIXER TAPS	129
	ELOSCOPE II	129
6.3	SOAP DISPENSERS	130-131
	LATO	130-131

OVERVIEW BLANCO MIXER TAPS.

	MODEL	PAGE		Also in low-pressure	Solid spout	Extendable spray	Pull-out dual spray	Senso	Window solution	Lever left	Power supply required
6 Mixer taps		AVONA-S	117			■					
		CARENA-S Vario	120-121			■	■				
		CATRIS-S	119			■	■				
		CATRIS-S Flexo	118			■	■				
		BLANCO CULINA-S II	112			■	■				
		BLANCO CULINA-S II Mini	113			■	■				
		BLANCO CULINA-S II Sensor	111			■	■	■			■
		ELOS COPE-F II	131		■				■		
		LINEE-S	114-115			■					
		LINUS	124-125	■	■						
		LINUS-S	122-123	■		■				■	
		LIVIA-S	116			■					

OVERVIEW BLANCO MIXER TAPS.

			Also in low-pressure	Solid spout	Extendable spray	Pull-out dual spray	Senso	Window solution	Lever left	Power supply required
										
	MODEL	PAGE								
	LUNEOO-S	110			■	■				■
	MIDA	127		■						
	MIDA-S	126			■					
	MILA	129		■						
	MILA-S	128	■		■					
	MILI	130		■						



- Tap design reimagined: the mobile spray head is attached to a slim pillar. The water volume and temperature are selected via the separate control panel.
- The spray head allows unlimited operating radius as the hose has a length of 47 cm
- The dual spray head can switch between laminar flow and powerful shower spray and is securely attached with a magnetic holder.



Power supply required



Extendable spray



Pull-out dual spray

METALLIC SURFACE

	stainless steel	527972
---	-----------------	--------

PVD

	satin dark steel	527975
---	------------------	--------

	satin gold	527974
---	------------	--------

SPECIAL COLOURS


	black matt	527973
---	------------	--------

PLANNING NOTE

Not suitable for the installation on sinks and bowls with a tap ledge. The tap can be installed on a standard worktop depth of 650mm, however a worktop depth of 700mm is recommended. Please follow the installation instructions for the cut-outs for the control and tap carefully, as these are not in line with each other.

TECHNICAL DRAWING

Flowrate 9.6 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- 1-2 x 35 mm Ø tap holes and 55 mm Ø tap holes required for tap and tap control
- Easy and fast professional installation with BLANCOLock
- Prepared for connection from 100V to 240V with mains unit
- Battery backup and batteries included
- With electronic control and valve box
- Clear stream aerator
- Spray made of metal
- Pull-down, dual spray
- Nylon-sheathed spray hose
- Flexible connector pipes, 700 mm long and 3/8" nut
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

EU Product Safety Regulation:
Warning: magnetic field, electricity.

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION
SOAP DISPENSER

LATO Soap dispenser

see page 130-131



BLANCOCULINA-S II SENSOR



- Iconic mixer tap combining exquisite design with semi-pro functionality
- Manual or hands-free operation with ingenious dual sensor technology integrated in the hose arm and tap body for optimized kitchen workflows
- Wave sensor on the tap body activates hands-free operation for a range of washing chores
- Hands-free sensor on the spray arm starts automatically fast-filling with cold water of pots and jars


 Power supply required

 Senso

 Extendable spray

 **reddot** winner 2025

PVD		TECHNICAL DRAWING
 PVD steel	569.11.003 (527494)	Flowrate 5 l/min at 3 bar pressure
Special edition for APAC.		



- SCOPE OF SUPPLY
- 180° swivel spout for greater reach
 - Ø 35 mm tap hole required
 - Easy and fast professional installation with BLANCOLock
 - Prepared for connection to 230V with mains unit
 - Battery backup and batteries included
 - With electronic cartridge and valve box
 - Clear stream aerator
 - Spray made of metal
 - Magnetized handspray holder for ease of use
 - Metal-sheathed spray hose
 - Flexible connector pipes, 700 mm long and ½" nut
 - Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
 - With non-return valve and thus guaranteed against reflux in accordance with EN 1717

EU Product Safety Regulation:
Warning: magnetic field, electricity.

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



BLANCOCULINA-S II



- Iconic mixer tap combining exquisite design with semi-pro functionality
- High arch and flexible metallic hose provide optimal range of motion
- Dual spray: easy switch between clear spray and powerful shower for highest functionality
- Comfortable locking of the hose with a hidden magnet holder
- Energy-saving: basic setting of the control lever to cold-start
- Available in a variety of beautiful finishes



Extendable
spray



Pull-out
dual spray



reddot winner 2025

PVD

	satin dark steel	569.11.004 (527497)
	PVD steel	569.11.300 (527495)


SPECIAL COLOURS

	black matt	569.11.002 (527496)
--	------------	---------------------

Special edition for APAC.

TECHNICAL DRAWING

Flowrate 5 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 180° swivel spout for greater reach
- Ø 35 mm tap hole required
- Easy and fast professional installation with BLANCOLock
- With ceramic disk cartridge
- Clear stream aerator
- Spray made of metal
- Magnetized handspray holder for ease of use
- Metal-sheathed spray hose
- Flexible connector pipes, 950 mm long and ½" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

EU Product Safety Regulation: Warning: magnetic field.

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



BLANCOCULINA-S II MINI



- Iconic mixer tap combining exquisite design with semi-pro functionality
- Flexible metallic hose provides optimal range of motion
- Dual spray and integrated flow stop: easy switch between clear spray stream and powerful shower for highest functionality
- Comfortable locking of the hose with a hidden magnet holder
- Ideal in combination with wall cabinets
- Available in a variety of beautiful finishes



Extendable
spray



Pull-out
dual spray



reddot winner 2025

PVD

	satin dark steel	527469
	PVD steel	527467


SPECIAL COLOURS

	black matt	527468
---	------------	--------

Not available for APAC.

TECHNICAL DRAWING

Flowrate 8.9 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 180° swivel spout for greater reach
- Ø 35 mm tap hole required
- Easy and fast professional installation with BLANCOlock
- With ceramic disk cartridge
- Clear stream aerator
- Spray made of metal
- Magnetized handspray holder for ease of use
- Metal-sheathed spray hose
- Flexible connector pipes, 950 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

EU Product Safety Regulation: Warning: magnetic field.

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



LINEE-S



- Elegant design
- Extendable pull-out spray head
- Top lever for easy access
- Ceramic disc control
- High spout for easy filling of large pans and vases



Extendable
spray




METALLIC SURFACE

	chrome	569.02.290 (517591)
	stainless steel satin matt	569.02.090 (517593)

TECHNICAL DRAWING

Flowrate 11.5 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 130° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of metal
- Metal-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



LINEE-S



- Extendable spray in high-quality metal finish
- Silgranit-look colour version matching the Silgranit sinks and bowls



Extendable
spray




SILGRANIT LOOK DUAL FINISH

	black/chrome	569.02.381 (526171)
	anthracite/chrome	569.02.380 (518438)
	rock grey/chrome	569.02.586 (518804)
	volcano grey/chrome	569.02.588 (526956)
	white/chrome	569.02.780 (518441)
	soft white/chrome	569.02.781 (526957)
	tartufo/chrome	569.02.080 (518446)

TECHNICAL DRAWING

Flowrate 11.5 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 130° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of metal
- Metal-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



LIVIA-S



- Modern design with optically contrasting decor elements
- System solution with matching remote control and mixer tap
- Available in various surface finishes
- High J-shaped spout with extendable shower
- Particularly recommended for undermount bowls and high-quality worktops



 Extendable spray




red dot award 2016 winner



PVD		TECHNICAL DRAWING
	satin gold	569.02.191 (526687)
METALLIC SURFACE		
	chrome	569.13.200 (521288)

Flowrate 8.4 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 190° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of metal
- Nylon-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131




-  Extendable
spray



TECHNICAL DRAWING

Flowrate 8.62 l/min at 3 bar pressure



- 190° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of metal
- Metal-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/4" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

RECOMMENDATION
SOAP DISPENSER

see page 130-131



CATRIS-S FLEXO



- Classic lines flow into semi-professional design and features
- Flexible black hose provides optimal range of motion
- Dual spray with integrated flow stop: easy switch from aerated stream to powerful rinse spray
- Precise magnetic holder ensures convenient hose docking
- Low height ideally combines with kitchen wall units
- Also available in black matt surface finish



Extendable
spray



Pull-out
dual spray

PVD

 satin dark steel 569.10.221 (527731)

 PVD steel 569.10.130 (525792)

METALLIC SURFACE


 chrome 569.10.230 (525791)

SPECIAL COLOURS

 black matt 569.10.430 (525793)

TECHNICAL DRAWING

Flowrate 7.9 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of plastic
- Magnetized handspray holder for ease of use
- Black hose made of silicone
- Flexible connector pipes, 700 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

EU Product Safety Regulation: Warning: magnetic field.

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



CATRIS-S



- Classic design in the Semi-Profi version
- Flexible spout (stainless steel spring) with a movable spray
- Dual spray: easy switch from aerated stream to powerful rinse spray
- Spray easily removable from the holder
- Ideal in combination with wall units



Extendable
spray



Pull-out
dual spray

METALLIC SURFACE




chrome

569.10.220 (521476)

TECHNICAL DRAWING

Flowrate 8.35 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of plastic
- Metal-sheathed spray hose
- Flexible connector pipes, 700 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

EU Product Safety Regulation: Warning: magnetic field.

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



CARENA-S VARIO



- Modern premium mixer tap
- Covered pull-out two-spray hose with change-over function
- High arched outlet for easy filling of pots and vases
- High positioned, ergonomic control lever



Extendable
spray



Pull-out
dual spray

METALLIC SURFACE




chrome

521356

TECHNICAL DRAWING

Flowrate 9 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 190° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of plastic
- Hidden spray with change-over button on the back
- Nylon-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



CARENA-S VARIO



- Modern premium mixer tap
- Covered pull-out dual-spray hose with change-over function
- High arched outlet for easy filling of pots and vases
- High positioned, ergonomic control lever
- Bi-Color - the perfect colour match for SILGRANIT sink units and bowls



Extendable
spray




Pull-out
dual spray

SILGRANIT LOOK DUAL FINISH

	black/chrome	526172
	anthracite/chrome	569.03.360 (521358)
	rock grey/chrome	521359
	volcano grey/chrome	526930
	white/chrome	569.03.760 (521368)
	soft white/chrome	569.13.211 (526931)
	tartufo/chrome	521376

TECHNICAL DRAWING

Flowrate 9 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 190° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of plastic
- Hidden spray with change-over button on the back
- Nylon-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



LINUS-S



- Minimalist design
- Extendable spray head
- High quality metal spray
- High spout for easy filling of large pans and vases



Also in low-pressure



Extendable spray

PVD

	satin dark steel	565.68.855 (527733)
		569.09.080 (526242)
		565.68.857 (526684)

METALLIC SURFACE

	chrome	High Pressure	565.68.250 (512402)
---	--------	---------------	---------------------


SPECIAL COLOURS

			565.68.358 (525807)
---	--	--	---------------------

*Low pressure taps not available for APAC.

TECHNICAL DRAWING

Flowrate 9.56 / 10.5 (HP) / 3.88 (LP) l/min at 3 bar pressure



SCOPE OF SUPPLY

- 140° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of metal
- Metal-sheathed spray hose
- BLANCO hose weight for extended reach
- Flexible connector pipes, 700 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



LINUS-S



- Minimalist design
- Extendable spray head
- High quality metal spray
- High spout for easy filling of pans and vases
- Design and colour of tap and coloured sink are a perfect match




Extendable
spray

SILGRANIT LOOK

	black	565.68.357 (526148)
	anthracite	565.68.350 (516688)
	rock grey	565.68.550 (518813)
	volcano grey	565.68.552 (526958)
	white	565.68.750 (516692)
	soft white	565.68.756 (526959)
	tartufo	565.68.050 (517621)

TECHNICAL DRAWING

Flowrate 9.56 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 140° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of metal
- Metal-sheathed spray hose
- BLANCO hose weight for extended reach
- Flexible connector pipes, 700 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



LINUS



- Minimalist design
- High spout for easy filling of pans and vases
- Spout can be swivelled through 360° for greater cover



Also in low-pressure



Solid spout

PVD

	satin dark steel	565.68.851 (527732)
	satin gold	565.68.852 (526683)

METALLIC SURFACE

	chrome	High Pressure	565.68.260 (514019)
	stainless steel		569.04.290 (517183)


SPECIAL COLOURS

	black matt	569.04.378 (525806)
---	------------	---------------------

*Low pressure taps not available for APAC.

TECHNICAL DRAWING

Flowrate 14.4 (HP) / 7 (LP) l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Flexible connector pipes, 700 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



LINUS



- Minimalist design
- High spout for easy filling of pans and vases
- Spout can be swivelled through 360° for greater cover
- Design and colour of tap and SILGRANIT sink are a perfect match




F Solid
spout

SILGRANIT LOOK

	black	569.04.377 (526149)
	anthracite	569.04.370 (516698)
	rock grey	565.68.551 (518814)
	volcano grey	565.68.854 (526960)
	white	569.04.770 (516702)
	soft white	569.04.776 (526961)
	tartufo	569.04.070 (517622)

TECHNICAL DRAWING

Flowrate 14.4 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Flexible connector pipes, 700 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



MIDA-S



- Gently rounded spout on a slender body
- For the easy filling of tall pots and vases
- Especially suitable for compact sinks
- Enlarged working radius thanks to the 360° swivel spout
- Pull-down spray hose for added reach



Extendable
spray

METALLIC SURFACE

	chrome	569.10.200 (521454)
---	--------	---------------------

SILGRANIT LOOK


	black	569.10.306 (526146)
	anthracite	569.10.300 (521455)
	volcano grey	569.08.052 (526967)
	white	569.10.700 (521457)
	soft white	569.10.706 (526968)

SPECIAL COLOURS

	black matt	569.08.051 (526653)
---	------------	---------------------

TECHNICAL DRAWING

Flowrate 10 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of plastic
- Nylon-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131





- Gently rounded spout on a slender body
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout



F Solid
spout

METALLIC SURFACE

	chrome	569.08.240 (517742)
---	--------	---------------------

SILGRANIT LOOK


	black	569.08.047 (526145)
	anthracite	569.08.340 (519415)
	volcano grey	569.08.050 (526965)
	white	569.08.740 (519418)
	soft white	569.08.048 (526966)

SPECIAL COLOURS

	black matt	569.08.049 (526649)
---	------------	---------------------

TECHNICAL DRAWING

Flowrate 15.12 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



MILA-S



- Slender body with a straight-lined spout
- With extendable pull-out hose
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout



Also in low-pressure



Extendable spray

METALLIC SURFACE

	chrome	High Pressure	569.06.210 (519810)
---	--------	---------------	---------------------


SPECIAL COLOURS

	black matt		569.08.054 (526660)
---	------------	--	---------------------

*Low pressure taps not available for APAC.

TECHNICAL DRAWING

Flowrate 10.2 (HP) / 7 (LP) l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Spray made of plastic
- Nylon-sheathed spray hose
- Hose weight for reliable retraction
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131



MILA



- Slender body with a straight-lined spout
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout



F Solid
spout


METALLIC SURFACE

	chrome	569.10.210 (519414)
---	--------	---------------------

SPECIAL COLOURS

	black matt	569.08.053 (526657)
---	------------	---------------------

TECHNICAL DRAWING



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131





- Slender body with a J-shaped spout
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout



Solid
spout

METALLIC SURFACE

	chrome	569.09.260 (519413)
---	--------	---------------------

SILGRANIT LOOK


	black	569.08.055 (526159)
	anthracite	569.09.360 (523103)
	volcano grey	569.08.057 (527460)
	white	569.09.760 (523107)
	soft white	569.08.056 (527461)

SPECIAL COLOURS

	black matt	569.09.000 (526665)
---	------------	---------------------

TECHNICAL DRAWING

Flowrate 15 l/min at 3 bar pressure



SCOPE OF SUPPLY

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Flexible connector pipes, 500 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks

SUGGESTED OPTIONAL ACCESSORIES

RECOMMENDATION SOAP DISPENSER

LATO Soap dispenser

see page 130-131




-  Solid spout |  Window solution

 chrome

565.74.260 (516672)

Flowrate 11.5 l/min at 3 bar pressure
Minimum clearance between sink and window sash 3 cm.



- 360° swivel spout for greater reach
- 2 x 35 mm Ø tap holes required for tap and operating lever
- With ceramic disk cartridge
- Patented jet regulator for markedly reduced scaling
- Flexible connector pipes, 700 mm long and 3/8" nut
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- Not compatible with IF/A models

RECOMMENDATION
SOAP DISPENSER

LATO Soap dispenser


see page 130-131



LATO




- Sleek and timeless soap dispenser design
- Attractive monochromatic and split finish versions for a perfect match with BLANCO mixer taps and sinks
- Adapted length and height for an optimal spout reach
- Easy to refill from above
- Practical sink accessory

PVD			TECHNICAL DRAWING	
	satin dark steel	580.42.002 (527743)	Please note: Additional hole (Ø 35 mm) required Contains: 300 ml 	
	PVD steel	527.00.774 (525809)		
	satin gold	580.42.011 (526699)		
METALLIC SURFACE			SCOPE OF SUPPLY	
	chrome	580.42.000 (525808)		
SPECIAL COLOURS				
		527.00.305 (525789)		

LATO



- Sleek and timeless soap dispenser design
- Attractive monochromatic and split finish versions for a perfect match with BLANCO mixer taps and sinks
- Adapted length and height for an optimal spout reach
- Easy to refill from above
- Practical sink accessory

SILGRANIT LOOK DUAL FINISH		TECHNICAL DRAWING
	black/chrome	580.42.003 (526177) Please note: Additional hole (Ø 35 mm) required Contains: 300 ml  SCOPE OF SUPPLY
	anthracite/chrome	
	rock grey/chrome	
	volcano grey/chrome	
	white/chrome	
	soft white/chrome	
	tartufo/chrome	



7

BASE CABINET ORGANISATION & WASTE SYSTEMS



7.1	FOOD WASTE DISPOSER	134-136
	FWD LITE	136
	FWD MAX	134
	FWD MEDIUM	135
7.2	WASTE SYSTEMS	137-145
	BOTTON II	145
	BOTTON PRO	143-144
	FLEXON II	140-142
	SELECT II	137-139
7.3	ORGA SYSTEMS	146-147
	STORAGE CADDY	147
	UNIVERSAL BAG XL	146

FWD MAX




Power supply required



- Premium model for regular disposing of large amounts of food waste in big households
- Optimal interface management for BLANCO sinks and bowls
- High quality and powerful AC induction motor
- Easy to install thanks to 3 bolt installation system
- Grinding components made of stainless steel
- 3 grinding stages for very fine grinding results

AC INDUCTION MOTOR		POWERPLUG TYPE		TECHNICAL DRAWING
	1 HP/ 230 V/ 50 Hz/ 12 A	E+F	565.69.086 (526648)	3 1/2" sink outlet required Product weight: 10.6 kg Non-detachable 90 cm power cord Reset-button on bottom of the FWD (note accessibility)

Not in all countries available. For further information please contact your BLANCO partner.




SCOPE OF SUPPLY

Air switch set



Air switch cap



Baffle



Plug and strainer



L-pipe set



Overflow connection



Wrench



- Removable baffle
- Plug and strainer to close drain
- Air switch with cover in chrome and PVD steel
- L-pipe with dishwasher or overflow connection
- Overflow connection for BLANCO sinks
- Wrench for mounting and free blockage

EU Product Safety Regulation:
Warning: electricity, sharp object, risk of property damage.

SUGGESTED OPTIONAL ACCESSORIES

Air switch cap
black matt
526770
see page 157



Air switch cap
satin gold
526769
see page 157



Air switch cap
satin dark steel
527921
see page 157



FWD MEDIUM




- Advanced model for the regular disposing of normal household amounts of food waste
- Optimal interface management for BLANCO sinks and bowls
- High quality and powerful AC induction motor
- Easy to install thanks to 3 bolt installation system
- Grinding components made of stainless steel
- 3 grinding stages for very fine grinding results

 Power supply required

AC INDUCTION MOTOR		POWERPLUG TYPE		TECHNICAL DRAWING
	0.75 HP/ 230 V/ 50 Hz/ 10 A	E+F	565.69.085 (526647)	3 ½" sink outlet required Product weight: 10.2 kg Non-detachable 90 cm power cord Reset-button on bottom of the FWD (note accessibility)

Not in all countries available. For further information please contact your BLANCO partner.




SCOPE OF SUPPLY

Air switch set



Air switch cap



Baffle



Plug and strainer



L-pipe set



Overflow connection



Wrench



- Removable baffle
- Plug and strainer to close drain
- Air switch with cover in chrome and PVD steel
- L-pipe with dishwasher or overflow connection
- Overflow connection for BLANCO sinks
- Wrench for mounting and free blockage

EU Product Safety Regulation:
Warning: electricity, sharp object, risk of property damage.

SUGGESTED OPTIONAL ACCESSORIES

Air switch cap
black matt
526770
see page 157



Air switch cap
satin gold
526769
see page 157



Air switch cap
satin dark steel
527921
see page 157



FWD LITE




Power supply required

- Entry-level model for disposing small amounts of food waste or for small households
- Optimal interface management for BLANCO sinks and bowls
- High quality and powerful AC induction motor
- Easy to install thanks to 3 bolt installation system
- Grinding components made of stainless steel
- 2 grinding stages for fine grinding results

AC INDUCTION MOTOR		POWERPLUG TYPE		TECHNICAL DRAWING
	0.5 HP/ 230 V/ 50 Hz/ 10 A	E+F	565.69.087 (526646)	3 1/2" sink outlet required Product weight: 7,4 kg Non-detachable 90 cm inch power cord Reset-button on bottom of the FWD (note accessibility)

Not in all countries available. For further information please contact your BLANCO partner.



SCOPE OF SUPPLY

Air switch set



Baffle



Stopper



L-pipe set



Overflow connection



Wrench




- Removable baffle
- Stopper to close drain
- Air switch with cover in chrome
- L-pipe with dishwasher or overflow connection
- Overflow connection for BLANCO sinks
- Wrench for mounting and free blockage


EU Product Safety Regulation:
Warning: electricity, sharp object, risk of property damage.

SUGGESTED OPTIONAL ACCESSORIES

Air switch cap
PVD steel
526768
see page 157



Air switch cap
black matt
526770
see page 157



Air switch cap
satin gold
526769
see page 157



SELECT II



- Complete use of space in the sink cabinet thanks to dimensionally matched solutions, in harmony with the sink and mixer tap
- Wide range of models for all the most common cabinet dimensions
- Versatile universal boxes in the organiser drawer keep things even more neat and tidy
- Diverse and varied waste separation options through flexible bin combinations



reddot winner 2021




Pull-out front

CABINET SIZE MM	600	600	600	600
SELECT II	60/4 Orga	XL 60/3 Orga	60/3 Orga	60/2 Orga
VOLUME	503.05.505 (526211)	503.05.506 (526210)	503.05.503 (526209)	503.05.502 (526208)
	42 l	46 l	45 l	49 l
TECHNICAL DRAWING				
SCOPE OF SUPPLY	pull-out system for front attachment, organisation drawer, 2 x 15 l and 2 x 6 l bin, 1 x bin lid 6 l	pull-out system for front attachment, organisation drawer, 1 x 30 l and 2 x 8 l bin, 1 x bin lid 8 l	pull-out system for front attachment, organisation drawer, 3 x 15 l bin	pull-out system for front attachment, organisation drawer, 1 x 30 l and 1 x 19 l bin
INSTALLATION NOTE	– Installation height 458 mm (universal compartments can be moved to provide additional installation space for drain fittings), installation depth 400 mm, required internal cabinet dimensions for pull-out rails 450 mm, cabinet side wall thickness 16 mm or 19 mm. – For cabinets with 18 mm side wall thickness distance plates 243 513 must be ordered separately. – This requires front doors without hinges or drill holes. Please note the handle position. – Also suitable for installation in base cabinets with frame and panel doors with frames from 40 mm. – When planning, please note the installation height of the waste management system, the installation depth of the sink and the resulting minimum dimensions of the base cabinet. – Minimum recommended plinth height for MOVEX installation: 100 mm.			

SUGGESTED OPTIONAL ACCESSORIES


Select II Clip

521300
see page 154-156



MOVEX

519357
see page 154-156



Select II AutoMove

521301*
see page 154-156



bin lid 15 liter

229338
see page 154-156



SELECT II



- Complete use of space in the sink cabinet thanks to dimensionally matched solutions, in harmony with the sink and mixer tap
- Wide range of models for all the most common cabinet dimensions
- Diverse and varied waste separation options through flexible bin combinations
- Simple installation without measuring, marking or pre-drilling



reddot winner 2021




Pull-out front

CABINET SIZE MM	600	600	600	600
SELECT II	60/4	XL 60/3	60/3	60/2
	503.05.546 (526206)	503.05.575 (526205)	503.05.504 (526204)	503.05.544 (526203)
VOLUME	49 l	46 l	45 l	
TECHNICAL DRAWING				
	pull-out system for front attachment, system cover, 2 x 15 l and 2 x 6 l bins, 1 x bin lid 6 l	pull-out system for front attachment, system cover, 1 x 30 l and 2 x 8 l bin, 1 x bin lid 8 l	pull-out system for front attachment, system cover, 3 x 15 l bin	pull-out system for front attachment, system cover, 1 x 30 l and 1 x 19 l bin
SCOPE OF SUPPLY	– Installation height 361 mm, installation depth 400 mm, necessary inside cabinet dimensions for pull-out rails 450 mm, cabinet side wall thickness 16 mm or 19 mm. – For cabinets with 18 mm side wall thickness distance plates 243 513 must be ordered separately. – This requires front doors without hinges or drill holes. Please note the handle position. – Also suitable for installation in base cabinets with frame and panel doors with frames from 40 mm. – When planning, please note the installation height of the waste management system, the installation depth of the sink and the resulting minimum dimensions of the base cabinet. – Minimum recommended plinth height for MOVEX installation: 100 mm.			
INSTALLATION NOTE				

SUGGESTED OPTIONAL ACCESSORIES


Select II Clip

521300
see page 154-156



MOVEX

519357
see page 154-156




Select II AutoMove

521301*
see page 154-156



Kitchen Foodwaste Caddy

235845
see page 154-156



SELECT II



- Complete use of space in the sink cabinet thanks to dimensionally matched solutions, in harmony with the sink and mixer tap
- Wide range of models for all the most common cabinet dimensions
- Diverse and varied waste separation options through flexible bin combinations
- Simple installation without measuring, marking or pre-drilling



reddot winner 2021




Pull-out front

CABINET SIZE MM	500	500	450
SELECT II	50/3	50/2	45/2
	503.05.501 (526202)	503.05.500 (526201)	503.05.543 (526200)
VOLUME	35 l	38 l	32 l
TECHNICAL DRAWING			
SCOPE OF SUPPLY	pull-out system for front attachment, system cover, 1 x 19 l and 2 x 8 l bin, 1 x bin lid 8 l	pull-out system for front attachment, system cover, 2 x 19 l bin	pull-out system for front attachment, system cover, 2 x 16 l bin
INSTALLATION NOTE	– Installation height 361 mm, installation depth 400 mm, necessary inside cabinet dimensions for pull-out rails 450 mm, cabinet side wall thickness 16 mm or 19 mm. – For cabinets with 18 mm side wall thickness distance plates 243 513 must be ordered separately. – This requires front doors without hinges or drill holes. Please note the handle position. – Also suitable for installation in base cabinets with frame and panel doors with frames from 40 mm. – When planning, please note the installation height of the waste management system, the installation depth of the sink and the resulting minimum dimensions of the base cabinet. – Minimum recommended plinth height for MOVEX installation: 100 mm.		

SUGGESTED OPTIONAL ACCESSORIES


Select II Clip

521300
see page 154-156




MOVEX

519357
see page 154-156




AktivBio-Cover for 8 liter bin

524220
see page 154-156



Select universal box
1.5 liters
229342
see page 154-156



FLEXON II



- Wide range of models for all standard sink cabinets with one drawer
- Diverse waste separation and storage options through flexible bin combinations
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- The included pull-out system cover can be used as a practical storage area
- Modern design with high-quality aluminium

Pull-out front with drawer




CABINET SIZE MM	600	600	600	600
FLEXON II	60/4	XL 60/3	60/3	60/2
VOLUME	503.05.014 (521474)	503.05.013 (521473)	503.05.010 (521472)	503.05.009 (521471)
	42 l	46 l	45 l	49 l
TECHNICAL DRAWING				
SCOPE OF SUPPLY	system for installation in drawers, system cover, 2 x 15 l and 2 x 6 l bin, 1 x bin lid 6 l	system for installation in drawers, system cover, 1 x 30 l and 2 x 8 l bin, 1 x bin lid 8 l	system for installation in drawers, system cover, 3 x 15 l bin	system for installation in drawers, system cover, 1 x 30 l and 1 x 19 l bin
INSTALLATION NOTE	– A base cabinet with cover and pull-out is required. – Installation height 355 mm above the drawer base, installation height without system cover 325 mm above the drawer base, installation depth 400 mm. – 450 mm drawer with full extension slides required. – Maximum frame height 250 mm above the drawer base. – Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm. – When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet. – Minimum recommended plinth height for MOVEX installation: 100 mm.			

SUGGESTED OPTIONAL ACCESSORIES


Select II Clip

521300
see page 154-156



MOVEX

519357
see page 154-156




bin lid 15 liter

229338
see page 154-156



Kitchen Foodwaste Caddy

235845
see page 154-156



FLEXON II



- Wide range of models for all standard sink cabinets with one drawer
- Diverse waste separation and storage options through flexible bin combinations
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- The included pull-out system cover can be used as a practical storage area
- Modern design with high-quality aluminium

Pull-out front with drawer




CABINET SIZE MM	500	500	450
FLEXON II	50/3	50/2	45/2
	503.05.008 (521470)	503.05.007 (521469)	503.05.006 (521468)
VOLUME	35 l	38 l	32 l
TECHNICAL DRAWING			
SCOPE OF SUPPLY	system for installation in drawers, system cover, 1 x 19 l and 2 x 8 l bin, 1 x bin lid 8 l	system for installation in drawers, system cover, 2 x 19 l bin	system for installation in drawers, system cover, 2 x 16 l bin
INSTALLATION NOTE	– A base cabinet with cover and pull-out is required. – Installation height 355 mm above the drawer base, installation height without system cover 325 mm above the drawer base, installation depth 400 mm. – 450 mm drawer with full extension slides required. – Maximum frame height 250 mm above the drawer base. – Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm. – When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet. – Minimum recommended plinth height for MOVEX installation: 100 mm.		

SUGGESTED OPTIONAL ACCESSORIES


Select II Clip

521300
see page 154-156




MOVEX

519357
see page 154-156




AktivBio-Cover for 8 liter bin

524220
see page 154-156



Select universal box

1.5 liters
229342
see page 154-156



FLEXON II LOW



- For base cabinets with divided drawers and a width of 50 to 90cm (thanks to a reduced installation height of 330 mm)
- Diverse waste separation and storage options through flexible bin combinations, with reduced space requirements in the sink cabinet
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- Modern design with high-quality aluminium

Pull-out front with drawer




CABINET SIZE MM	900	800
FLEXON II LOW	90/4	80/3
	503.05.012 (521475)	503.05.011 (525221)
VOLUME	73 l	65 l
TECHNICAL DRAWING		
SCOPE OF SUPPLY	system for installation in drawers, 3 x 19 l and 1 x 16 l bin	system for installation in drawers, 1 x 30 l, 1 x 19 l and 1 x 16 l bin
INSTALLATION NOTE	– A base cabinet with cover and pull-out is required. – Installation height 325 mm above the drawer base, installation depth 400 mm. – 450 mm drawer with full extension slides required. – Maximum frame height 250 mm above the drawer base. – Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm. – When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet. – Minimum recommended plinth height for MOVEX installation: 100 mm.	

SUGGESTED OPTIONAL ACCESSORIES


Select II Clip

521300
see page 154-156




MOVEX

519357
see page 154-156




Select universal box
1.5 liters
229342
see page 154-156



Kitchen Foodwaste Caddy

235845
see page 154-156





BOTTON PRO



- Compact system with door follower for automatic opening of the waste management system when the door is opened
- Different models for the most common cabinet dimensions
- Easy to mount on the floor thanks to installation aid
- Functional design made of high-quality plastic
- Easy to clean bins with ergonomic handle
- Large waste volume despite compact dimensions

Hinged door

CABINET SIZE MM	600	450
BOTTON Pro	60/3 Automatic	45/2 Automatic
		
	528.00.067 (517470)	502.09.552 (517468)
VOLUME	39 l	26 l
		
TECHNICAL DRAWING		
SCOPE OF SUPPLY	system for floor-mounting behind hinged doors, 3 x 13 l bin, door catch	system for floor-mounting behind hinged doors, 2 x 13 l bin, door catch
INSTALLATION NOTE	– Installation instructions for the BLANCO BOTTON Pro Automatic: – Use doors with a min. 100° opening angle – Maximum door hinge width 35 mm – Installation depth 400 mm – Installation height 350 mm	

BOTTON PRO



- Compact system for positioning flexibly in the base cabinet
- Different models for the most common cabinet dimensions
- Easy to mount on the floor thanks to installation aid
- Functional design made of high-quality plastic
- Easy to clean bins with ergonomic handle
- Large waste volume despite compact dimensions

Hinged door

CABINET SIZE MM	600	450
BOTTON Pro	60/3 Manual	45/2 Manual
	502.09.543 (517469)	502.09.542 (517467)
VOLUME	39 l	26 l
TECHNICAL DRAWING		
SCOPE OF SUPPLY	system for floor-mounting behind hinged doors, 3 x 13 l bin	system for floor-mounting behind hinged doors, 2 x 13 l bin
INSTALLATION NOTE	– Installation instructions for the BLANCO BOTTON Pro Manual: – Take account of the dimensions of the door hinges when calculating the installation width – Installation depth 400 mm – Installation height 350 mm	

BOTTON II



- Large waste volume despite compact dimensions
- Can be flexibly positioned in the base cabinet
- Easy to install on the floor using just four screws
- Extremely sturdy thanks to the U-shaped steel sheet profile
- The bins can be easily removed by lifting upwards, thanks to the comfortable full extension
- Functional design made of high-quality plastic

Hinged door

CABINET SIZE MM

300

30/2



502.09.574 (526376)


VOLUME

30 l

15l

15l

TECHNICAL DRAWING



SCOPE OF SUPPLY

system for floor-mounting behind hinged doors, 2 x 15 l bin

INSTALLATION NOTE

- Suitable for base units with hinged doors from 30 cm width
- Can be mounted on the left, right or in the centre
- Mounting on the cabinet base

RECOMMENDED ORGA
SYSTEM

Storage Caddy 20

see page 147




UNIVERSAL BAG XL 40



- XL Bag for storage or collection of dry recycling materials such as glass, paper, cans or plastics
- Strong aluminium structure securely holds the XL bag open in place
- Easy access thanks to the wide opening and the full-extension sliding function
- Portable XL bag can be easily removed and placed back on the sliding basetray
- Design in dark grey and aluminium matching all BLANCO cabinet organization elements

Hinged door



CABINET SIZE MM	450
UNIVERSAL BAG XL 40	
	
	527669
NUMBER OF CONTAINERS	1
TECHNICAL DRAWING	
SCOPE OF SUPPLY	Organisation system for floor-mounting behind hinged doors, 1 x portable bag with 30 l, base plate with soft-closing slides
INSTALLATION NOTE	– Installation height 395 mm. – Installation depth at the slides 430 mm, base plate 415 mm. – Maximum carrying capacity for bag 5 kg.

STORAGE CADDY




- Caddy provides storage space for cleaning bottles and supplies at the bottom of the cabinet
- Portable caddy can be easily removed and placed back on the sliding base tray
- Easy access thanks to the handle and the full-extension sliding function
- Design in dark grey and aluminium matching all BLANCO cabinet organization elements
- Easy to clean thanks to the generous and smooth surfaces

Hinged door

CABINET SIZE MM	450	300
STORAGE CADDY	40	20
		
	527668	527667
NUMBER OF CONTAINERS	2	1
TECHNICAL DRAWING		
SCOPE OF SUPPLY	Organisation system for floor-mounting behind hinged doors, 2 x portable caddy, base plate with soft-closing slides	
INSTALLATION NOTE	– Installation height 395 mm. – Installation depth at the slides 430 mm, base plate 415 mm. – Maximum carrying capacity for each Caddy 5 kg.	



8 ACCESSORIES



ACCESSORIES FOR SINK PROGRAMMES	150-155
ACCESSORIES FOR WASTE SYSTEMS	156-159
CARE, CLEANING AND CARE PRODUCTS	163
KITCHEN ACCESSORIES	160-162

ACCESSORIES FOR SINK PROGRAMMES

BUNDLE OOVALON COMPONENTS

NEW



- Accessory, waste and overflow set for BLANCO OOVALON to create a harmonious look alongside your choice of mixer tap.
- Contains TopGrid, C-overflow, InFino, PushControl in same colour, as well as suitable drain.

BUNDLE OOVALON COMPONENTS

	— Bundle OOVALON Components — stainless steel — 435 x 315 mm	527993
	— Bundle OOVALON Components — satin dark steel — 435 x 315 mm	527996
	— Bundle OOVALON Components — satin gold — 435 x 315 mm	527995
	— Bundle OOVALON Components — satin platinum — 435 x 315 mm	527997
	— Bundle OOVALON Components — black matt — 435 x 315 mm	527994

ACCESSORIES FOR SINK PROGRAMMES

WASTE FITTING SET FOR SINGLE BOWL WITH REMOTE CONTROL



- Waste fitting set including InFino and overflow for upgrading sinks and bowls
- Creates a harmonious look alongside mixer taps and soap dispensers
- With remote control in matt black, satin gold, satin dark steel and satin platinum
- For selected single bowls: PLEON (6, 8), ETAGON (6, 500-U, 700-U), SUBLINE (400-U, 500-U, 700-U)

WASTE FITTING SET FOR SINGLE BOWL WITH REMOTE CONTROL		
	— Waste fitting set for single bowl — satin dark steel	565.69.477 (207429*)
	— Waste fitting set for single bowl — satin gold	565.69.478 (207427*)
	— Waste fitting set for single bowl — black matt	565.69.480 (207426*)

WASTE FITTING SET FOR SINGLE BOWL



- Waste fitting set including InFino and overflow for upgrading sinks and bowls
- Creates a harmonious look alongside mixer taps and soap dispensers
- Without remote control in matt black, satin gold, satin dark steel and satin platinum
- For selected single bowls: PLEON (6, 8), ETAGON (6, 500-U, 700-U), SUBLINE (400-U, 500-U, 700-U)

WASTE FITTING SET FOR SINGLE BOWL		
	— Waste fitting set for single bowl — satin gold	565.69.102 (207423*)
	— Waste fitting set for single bowl — satin dark steel	565.69.538 (207424*)
	— Waste fitting set for single bowl — black matt	565.69.101 (207422*)

ACCESSORIES FOR SINK PROGRAMMES

WASTE FITTING SET FOR DOUBLE BOWLS WITH REMOTE CONTROL



- Waste fitting set including InFino and overflow for upgrading sinks and bowls
- Creates a harmonious look alongside mixer taps and soap dispensers
- With remote control in matt black, satin gold, satin dark steel and satin platinum
- For selected double bowls: SUBLINE 340/160-U, 350/350-U

WASTE FITTING SET FOR DOUBLE BOWLS WITH REMOTE CONTROL



- Waste fitting set for double bowls
- satin dark steel

565.69.481 (207444*)



- Waste fitting set for double bowls
- satin gold

565.69.482 (207443*)



- Waste fitting set for double bowls
- black matt

565.69.484 (207442*)

WASTE FITTING SET FOR DOUBLE BOWLS



- Waste fitting set including InFino and overflow for upgrading sinks and bowls
- Creates a harmonious look alongside mixer taps and soap dispensers
- Without remote control in matt black, satin gold, satin dark steel and satin platinum
- For selected double bowls: SUBLINE 340/160-U, 350/350-U

WASTE FITTING SET FOR DOUBLE BOWLS



- Waste fitting set for double bowls
- satin dark steel

565.69.539 (207440*)



- Waste fitting set for double bowls
- satin gold

565.91.104 (207439*)



- Waste fitting set for double bowls
- black matt

565.91.103 (207438*)

ACCESSORIES FOR SINK PROGRAMMES

SET OUTLET/OVERFLOW FOR SINGLE BOWL



- Waste and overflow set for upgrading sinks and bowls in a harmonious look alongside mixer taps, soap dispenser and pop-up.
- For single bowls with C-overflow and InFino drain system (except BLANCO CLASSIMO, AXIA III and FARON)

SET OUTLET/OVERFLOW FOR SINGLE BOWL		
	— Set outlet/overflow for single bowl — satin gold	565.69.871 (203476*)
	— Set outlet/overflow for single bowl — satin dark steel	565.69.546 (206900*)
	— Set outlet/overflow for single bowl — black matt	565.69.525 (239975*)

SET OUTLET/OVERFLOW FOR DOUBLE BOWL



- Waste and overflow set for upgrading sinks and bowls in a harmonious look alongside mixer taps, soap dispenser and pop-up.
- For double bowls with C-overflow and InFino drain system (except BLANCO CLASSIMO, AXIA III and BLANCODELTA)

SET OUTLET/OVERFLOW FOR DOUBLE BOWL		
	— Set outlet/overflow for double bowl — satin gold	565.69.536 (203477*)
	— Set outlet/overflow for double bowl — satin dark steel	565.69.544 (206901*)
	— Set outlet/overflow for double bowl — black matt	565.69.528 (239979*)


ACCESSORIES FOR SINK PROGRAMMES

PUSHCONTROL

NEW



- Intuitive push handling
- Visual feedback functionality: flush-mount position indicates open drain, raised position indicates closed drain
- Elegant, flat design for barrier-free working
- Easy to clean
- Perfectly combined with InFino
- Required drilling diameter: 35 mm

BLANCO PUSHCONTROL		
	— BLANCO PushControl — brushed finish	210670
	— BLANCO PushControl — satin gold	210672
	— BLANCO PushControl — satin dark steel	210676
	— BLANCO PushControl — black matt	210671

ACCESSORIES FOR SINK PROGRAMMES

POP-UPS STAINLESS STEEL		
	— Pop-up remote control — minimum drilling diameter required: 35 mm	565.69.960 (119293)
POP-UP REMOTE CONTROLS ROUND		
	— Pop-up remote control — minimum drilling diameter required: 14 mm — satin gold	203495*
	— Pop-up remote control — minimum drilling diameter required: 14 mm — satin dark steel	206902*
	— Pop-up remote control — minimum drilling diameter required: 14 mm — Stainless steel finish	565.69.682 (221336)
	— Pop-up remote control — minimum drilling diameter required: 14 mm — chrome	565.69.681 (221339*)
	— Pop-up remote control — minimum drilling diameter required: 14 mm — black matte	565.69.529 (238688*)


ACCESSORIES FOR WASTE SYSTEMS

SELECT CLIP



- Clip-on strips for safe and easy attachment of the waste bag
- Suitable for all BLANCO SELECT II and FLEXON II bin sizes from 15 litres and any waste bag size
- Solution for optimum capacity utilisation of the SELECT II and FLEXON II bins
- Design perfectly matched to BLANCO SELECT II and FLEXON II

BLANCO SELECT CLIP



- Select II Clip
- 52 x 333 x 26 mm


521300

SELECT AUTOMOVE



- Gentle opening support for all pull-out fronts at the touch of a finger
- Greater design freedom also for handleless fronts in the kitchen
- Touch protection to prevent accidental opening
- Quick and easy installation
- Waste fitting with space-saving pipe recommended
- Not recommended for cabinets doors with all-round seals

BLANCO SELECT AUTOMOVE



- Select II AutoMove
- 96 x 40 x 555 mm

521301*

MOVEX



- Convenient pull-out technology – front door is fitted to a profile strip and pulled by the foot
- Easy, user-friendly operation
- Fitting is straightforward thanks to the mounting template – no adjustments required
- High-quality stainless steel trim

BLANCO MOVEX



- BLANCO MOVEX
- 30 x 200 x 15 mm


519357

ACCESSORIES FOR WASTE SYSTEMS

KITCHEN FOODWASTE CADDY



KITCHEN FOODWASTE CADDY



- Kitchen Foodwaste Caddy
- Versatile container (2.4 l) ideal for collecting organic waste with lid to reduce odours
- Perfectly fits into BLANCO SELECT II and FLEXON bins (30, 15, 13 l), creating a dedicated area to collect organic waste in the sink cabinet
- Can flexibly be placed on the kitchen counter for easy access when food prepping
- Dishwasher safe, made from durable plastic
- Spare part for BLANCO COLLECTIS 6 S sink, ideally fitting into small bowl
- black
- plastic
- 111.5 x 166 x 300 mm


235845

UNIVERSAL BOX



- To be positioned in 8 l, 15 l or 19 l bins of BLANCO SELECT II and FLEXON II
- Also ideal for collecting food waste or small items
- Dishwasher safe
- In scope of supply of BLANCO SELECT II Orga

UNIVERSAL BOX



- Select universal box 1.5 liters
- to hang in the 8-l, 15-l or 19-l bin
- black
- plastic
- 94 x 205 x 168 mm

229342

BIN LIDS FOR SELECT II AND FLEXON II




- Lid to cover bin and collect small items
- Design perfectly matched to BLANCO SELECT II and FLEXON II

BIN LIDS FOR SELECT II AND FLEXON II




- BLANCO bin lid 15 liter
- included with BLANCO SELECT II and FLEXON II 60/3 and 60/4
- black
- plastic
- 366 x 168 mm

229338



- BLANCO bin lid 6 liter
- included with BLANCO SELECT II and FLEXON II 60/4 versions
- black
- plastic
- 168 x 181 mm

231974



- BLANCO bin lid 8 liter
- included with BLANCO SELECT II and FLEXON II 30/2, 50/3, XL 60/3 versions (1 bin lid)
- black
- plastic
- 205 x 181 mm

231975


ACCESSORIES FOR WASTE SYSTEMS

AKTIVBIO COVER




- Combination of active carbon filter and stainless steel disc can reduce the leakage of unpleasant odours out of the organic waste bin

AKTIVBIO COVER



- AktivBio-Cover for 6 liter bin
- available for SELECT II and FLEXON II 6 l bins
- black
- plastic
- 168 x 181 mm

524219



- AktivBio-Cover for 8 liter bin
- available for SELECT II and FLEXON II 8 l bins
- black
- plastic
- 205 x 181 mm

524220

FILTER FOR AKTIVBIO COVERS



- Filter change recommended every 3 months
- Set covers the recommended annual requirement
- Content: 4 pieces

FILTER FOR AKTIVBIO COVERS



- Filter for AktivBio Cover 6 l

524225



- Filter for AktivBio Cover 8 l

524226

FLEXIBLE FRAME BAR



- Flexible to use frame bar
- Allows easy bin retrofitting e.g. SELECT II 60/2 with two bins on XL 60/3 with three bins
- Even more possibilities for bin configuration: up to six bins in the SELECT II
- Cannot be combined with SELECT II Soda, Compact 60/2 und 45/2

FLEXIBLE FRAME BAR



- Select II frame bar
- 26 x 20 x 345 mm

239913

ACCESSORIES FOR WASTE SYSTEMS

GARBAGE DISPOSAL ACCESSORIES



GARBAGE DISPOSAL ACCESSORIES		
	— Air switch set — chrome	526767
	— 2nd bowl piping set — plastic	526772*
	— Air switch cap — black matt — 11 mm	526770
	— Air switch cap — PVD steel — 11 mm	526768
	— Air switch cap — satin gold — 11 mm	526769
	— Air switch cap — satin dark steel — 11 mm	527921

KITCHEN ACCESSORIES

FOLDABLE GRID



- Can be placed on the drainer, over the bowl or on the worktop
- Extends the versatility of the sink centre, e.g. for draining washed items or filling up pots
- Variable positioning on the drainer, in the bowl or outside the sink
- Easy to stow away thanks to the practical folding function

FOLDABLE GRID



- Foldable Grid 460x425
- for sinks and bowls with a bowl width of 400 mm
- stainless steel/plastic
- 460 x 425 mm

565.69.224
(238482)



- Foldable ADIRA Grid
- Multifunctional grid for the ADIRA sinks family
- Grid can be placed on the drainer and on the bowl area
- The grid creates an upper working level on the bowl, making it easier to pour water into pots and jars
- Very useful for draining crockery or washing food, or as a trivet on the worktop
- Easy to stow away thanks to the practical folding function
- stainless steel/silicone
- 200 x 452 mm


202242

TOP RAILS



- Positioned at the edge of the bowl, the Top-Rails create a bridge over the sink and provide a second level for working
- Further possibilities of use on the worktop (e.g. as a trivet)
- Made of high-quality stainless steel

TOP RAILS



- Set TOP-Rails 400
- recommended for SUBLINE and PLEON SILGRANIT and also for ANDANO, SUPRA, CLARON and ZEROX
- stainless steel/plastic
- 22 x 416 x 60 mm

565.69.339
(235906)

FLOATING GRIDS



- When attached to the bowl, the floating grid provides an additional functional level
- Very useful for draining crockery or washing food, or as a trivet on the worktop
- Made of high-quality stainless steel

FLOATING GRIDS




- Floating grid
- recommended for PLEON and SUBLINE SILGRANIT and Ceramic
- Stainless steel
- 384 x 251.5 mm

565.69.234
(234795)


KITCHEN ACCESSORIES

MULTIFUNCTIONAL BASKETS



- A practical complement for bowls and sinks
- Particularly suitable for washing fruit or vegetables
- Appropriate for bowls and sinks with a bowl length of 400 mm
- Made of high-quality, easy-care stainless steel

MULTIFUNCTIONAL BASKETS



- Multifunctional basket
- recommended for SUBLINE
- Stainless steel
- 130 x 160 x 360 mm


223297

CROCKERY BASKETS WITH PLATE STACKER



- Can be used in or next to the sink
- Comes with a practical plate stack
- Made of high-quality, easy-care stainless steel

CROCKERY BASKETS WITH PLATE STACKER



- Crockery basket
- plate stack removable
- Stainless steel
- 147 x 313 x 409 mm

507829


KITCHEN ACCESSORIES

UNIVERSAL CUTTING BOARDS FOR INSET INSTALLATION



- Suitable for use in sinks and bowls with classic installation from above
- The cutting board at the outer edges of the sink allows flexible working at the sink centre

UNIVERSAL CUTTING BOARDS FOR INSET INSTALLATION



- Beech cutting board
- for sinks and bowls with a width of 500 mm
- beech wood
- 28 x 260 x 530 mm


565.69.927
(218313)

UNIVERSAL CUTTING BOARDS FOR U AND IF BOWLS




- Suitable for use in bowls designed for undermount or IF flat rim installation
- Cutting boards attached to the worktop cut-out or the interior wall of the bowl increase the functionality
- Suitable for bowl lengths of 400 mm or 396 mm

UNIVERSAL CUTTING BOARDS FOR U AND IF BOWLS



- Ash compound cutting board
- recommended for ETAGON in Stainless steel and SILGRANIT, ANDANO, SUPRA, SUBLINE in SILGRANIT
- ash tree compound
- 23 x 240 x 424 mm

565.69.096
(230700)



- Bamboo cutting board
- recommended for ETAGON, ANDANO, SOLIS
- bamboo
- 22 x 424 x 280 mm


565.69.044
(239449)

WORKTOP ORGANIZER MAIN SET



- Upgraded kitchen functionality with set including extendable sink rack, soap dispenser, a small container for cleaning utensils and a drip tray
- Extendable sink rack can be used in BLANCO bowls with a width between 396 mm and 440 mm
- Plastic parts made of 100% recycled material

WORKTOP ORGANIZER MAIN SET



- Worktop Organizer Main Set
- Available to purchase in the BLANCO shop
- greyish black
- Aluminium, 100% GRS recycled plastic
- 130 x 106.4 x 427.3 mm

527448

CARE. CLEANING AND CARE PRODUCTS

DAILYCLEAN+



- Professional limescale remover for all sink and mixertap surfaces
- Gentle – suitable for everyday use
- Do not use on surfaces that are sensitive to acid. Follow the manufacturer’s care instructions. If in doubt, test it first in an inconspicuous place.

DAILYCLEAN+		
	— BLANCO DailyClean+	565.69.134
	— 150 ml	(526305*)

EU Product Safety Regulation: Warning: Causes skin irritation, Causes serious eye irritation.

DEEPCLEAN SILGRANIT SET



- All-in-one cleaning set for BLANCO SILGRANIT sinks and bowls

BLANCO DEEPCLEAN SILGRANIT SET		
	— BLANCO DeepClean SILGRANIT Set	527033*
	— All-in-one Cleaning Set for SILGRANIT sinks and bowls – Combining forces for an excellent cleaning result — DailyClean+ to professionally remove persistent limescale stains before applying DeepClean SILGRANIT — DeepClean SILGRANIT to easily dissolve grease and starch deposits — Specially developed, tested and proven for BLANCO SILGRANIT sinks and bowls — Maintains SILGRANIT sinks and gives them a like-new appearance — Effectively reducing and removing discoloration, stains and stubborn dirt with our easy two-step cleaning method — For a long-lasting cared look and preservation of the velvety-smooth material structure — Lasting care with minimum effort	

EU Product Safety Regulation: Warning: Causes skin irritation, Causes serious eye irritation.

CARE PRODUCTS



CARE PRODUCTS		
	— Microfibre cloth	126999
	— For daily cleaning in-between — Suitable for all surfaces	

*Not in all countries available. For further information please contact your BLANCO partner.

FOR ANY REQUIREMENT

BLANCO INSTALLATION SOLUTIONS



INSTALLATION FROM ABOVE

Classic installation from above with a conventional profiled rim.

- Classic installation from above with a conventional profiled rim.
- Large selection of sinks in stainless steel, SILGRANIT® and Ceramic
- Suitable for all worktop materials
- Uncomplicated and quick installation



FLAT RIM IF

Elegant and modern look thanks to the almost flushmount appearance.

- Wide product programme of stainless steel sinks with the flat rim IF
- Lay-on installation option is ideal for laminate worktops
- One model, two installation options:
 - Installation from above, top mounted (safe and quick mounting)
 - Flushmount installation



FLUSHMOUNT INSTALLATION

Visual unity between sink and worktop with no irritating edges – functional and contemporary.

- Wide selection of Silgranit models with special rim design for flushmount installation
- Recommended for worktops in natural or artificial stone
- Permanent and safe connection of sink and worktop thanks to mechanical supporting elements and the jointing with sealant



FOR ANY REQUIREMENT

BLANCO INSTALLATION SOLUTIONS



FLUSH UNDERMOUNTED INSTALLATION

Almost smooth installation from below for a modern and elegant look.


- Suitable Silgranit® products are marked with the FU symbol.
- Suitable for laminate worktops
- Extremely long-lasting adhesion using casting resin in a precisely-made worktop cut-out



UNDERMOUNT

Smooth, continuous installation of bowls and sinks for a harmonious overall impression.

- In addition to the wide range of special bowls for undermount installation in stainless steel, Silgranit and Ceramic, almost all our inset stainless steel and Silgranit sinks are suitable for undermount installation
- Suitable for worktops in natural or artificial stone, ceramic or glass
- Special supporting elements are used to secure the sink to the underside of the worktop, then it is jointed with sealant



HOW-TO VIDEOS WITH PRACTICAL TIPS FOR THE KITCHEN SPECIALIST

How do you install a flushmounted sink?
Do you have any tips for caring for our sinks? How can I make an additional hole in a Silgranit sink?

Find answers to these and other questions in our How-to videos in the Internet.

INSTALLATION EXAMPLES.

BLANCO INSTALLATION OPTIONS.




INSTALLATION FROM ABOVE

In this process, the sink is placed inside the sink cut-out from above.


— BLANCO stainless steel sinks with a profiled rim are sealed at the works; sinks made of Silgranit® or Ceramic are given a layer of sealant on-site.

— Silgranit and stainless steel sinks are secured to the worktop from below using securing elements; Ceramic sinks are simply placed on top of it.


STAINLESS STEEL



SILGRANIT®



CERAMIC




FLAT RIM IF

In this process, the sink is placed inside the sink cut-out from above.


— A layer of sealant is applied under the rim of the sink before installation. The sinks are secured to the underside of the worktop by securing elements.

The flushmount installation of IF sinks correlates to the classic flushmount installation method.

STAINLESS STEEL: INSTALLATION FROM ABOVE, FLAT LAY-ON



STAINLESS STEEL: FLUSHMOUNT INSTALLATION




INSTALLATION FROM ABOVE

In this process, the sink is placed inside the sink cut-out from above.


— BLANCO stainless steel sinks with a profiled rim are sealed at the works; sinks made of Silgranit® or Ceramic are given a layer of sealant on-site.

— Silgranit and stainless steel sinks are secured to the worktop from below using securing elements; Ceramic sinks are simply placed on top of it.


STAINLESS STEEL



SILGRANIT®



CERAMIC






FLUSH UNDERMOUNTED INSTALLATION

For the flush undermounted installation method, the sink is mounted from below. BLANCO flushmount models are suitable for flush undermount installation.

- With laminate worktops, the carrier material is milled away around the cut-out and all the way to the top layer.
- Adhesive is applied to the rim of the sink, which is then placed on the laminate. The sink is permanently bonded to the worktop by additionally applying casting resin from underneath.

SILGRANIT®




UNDERMOUNT


BLANCO's special undermount bowls and almost all BLANCO inset sinks can be fitted from below in non-water drawing worktops in natural stone or composite materials. Thin worktops < 20 mm require an additional lining. A layer of sealant is applied between the rim of the sink and the bottom edge of the worktop.

- The sink is attached to the worktop by special supporting elements. Special dowels are used for screw attachments in worktops made of natural stone or composite materials.


STAINLESS STEEL: UNDERMOUNT BOWLS



SILGRANIT®: UNDERMOUNT BOWLS




CERAMIC: UNDERMOUNT BOWLS




IN-BETWEEN MODULE


In-between modules replace the worktop over a defined width. The module is placed on the sink cabinet and secured by screws. Depending on the planning situation, the worktop material is placed to the right and left and a layer of sealant applied.



STAINLESS STEEL: UNDERMOUNT SINKS



SILGRANIT®: UNDERMOUNT SINKS




UNDERMOUNT BOWLS.

PLANNING EXAMPLES: INDIVIDUAL PLANNING AND COMBINATION OF THE VARIOUS MAIN AND ADDITIONAL BOWLS.


BLANCO ANDANO

60 cm cabinet



ANDANO 340/180-U


70 / 80 cm cabinet



ANDANO 400-U + ANDANO 180-U +
Bowl connection 22 5088




80 cm cabinet



ANDANO 340-U + ANDANO 340-U +
Bowl connection 22 5088



90 cm cabinet




ANDANO 400/400-U

UNDERMOUNT BOWLS.

PLANNING EXAMPLES: INDIVIDUAL PLANNING AND COMBINATION OF THE VARIOUS MAIN AND ADDITIONAL BOWLS.

SILGRANIT


60 cm cabinet



SUBLINE 320-U SUBLINE 160-U




70 cm cabinet



SUBLINE 400-U SUBLINE 160-U




80 cm cabinet




SUBLINE 500-U SUBLINE 160-U




80 cm cabinet



SUBLINE 320-U SUBLINE 320-U




90 cm cabinet



SUBLINE 400-U SUBLINE 320-U




100 cm cabinet



SUBLINE 400-U SUBLINE 400-U




100 cm cabinet



SUBLINE 500-U SUBLINE 320-U



120 cm cabinet



SUBLINE 500-U SUBLINE 500-U



A VARIETY OF RETROFIT OPTIONS

THE PERFECT DRAIN REMOTE CONTROL IN 2 STEPS

STEP 1: IDENTIFICATION OF THE DRAIN SYSTEM: Difference between InFino and standard drain system

INFINO DRAIN SYSTEM		STANDARD DRAIN SYSTEM	
			
			
InFino drain system WITHOUT remote control	InFino drain system WITH remote control	Drain valve without Bowden cable WITHOUT remote control	Drain valve with Bowden cable WITH remote control
+		+	
Retrofitting of a remote control Retrofitting set InFino 232459	No retrofitting set necessary Go straight to STEP 2 and select a control element	For retrofitting a remote control for a 3 1/2" spout. The retrofitting set part number depends on the sink type and delivery date. Visit www.blanco.com/sos	No retrofitting set necessary Go straight to STEP 2 and select a control element
			

STEP 2: SELECTING THE DRAIN REMOTE CONTROL: Check compatibility using the following table

REMOTE CONTROL INFINO DRAIN SYSTEM			REMOTE CONTROL STANDARD DRAIN SYSTEM	
Push Control*	Pop-up control*	Rotary switch control	Pop-up control*	Rotary switch control
				

* Available in different surfaces

QUALITY DOWN TO THE LAST DETAIL

BLANCO KITCHEN MIXER TAPS.

BLANCO kitchen mixer taps are at the cutting edge of technology and are subject to the very strictest quality controls. However, should any problems arise, the BLANCO Service team is at your disposal.

UPGRADE – WATER FLOW MODES

Numerous mixer tap models such as LINUS, LINUS-S, CANDOR or BLANCOCULINA-S Mini can be easily upgraded with the aerator set, which includes a clear spray and aerated jet regulator for high-pressure mixer taps. Please check the compatibility with your customer service before purchasing the BLANCO aerator set.

WATER FLOW MODES AT A GLANCE

Clear spray

- crystal clear
- quiet
- splatter-free

Aerated spray

- aerated
- soft
- strong

AERATOR SET
with clear spray and aerated
spray for high-pressure mixer
taps
Item-No. 521746



INSTALLATION AND CARE – SECURE INSTALLATION AND PERFECT MAINTENANCE

- It is recommended that the mixer tap is installed by a licensed professional.
- Do not clean kitchen mixer tap surfaces with caustic or abrasive cleaning aids. We recommend to use BLANCO DailyClean+.
- If the water flow becomes weaker, rinse out the jet regulator.

To protect the mixer tap against dirt and damage (leaks, reduced water flow), installing a dirt strainer (included as standard) between the angle valve and connecting hose is essential.

DIRT FILTER STRAINER
Item-No. 118840



DAILYCLEAN+
Not in all countries available.
For further information please
contact your BLANCO partner.



CONNECTION DIAGRAM





LOW-PRESSURE KITCHEN MIXER TAPS
(pressureless mixer taps) are fitted with three connection
hoses. One hose is connected to the cold water
network, with the other two connected to the boiler



Kitchen mixer tap
with solid spout



Kitchen mixer tap
with pull-out spray



1 Cold water connection

2 Cold water

3 Warm water

HÄFELE | BLANCO

BLANCO WATER FLOW MODES.

CLEAR VERSUS AERATED FLOW.



The strong, sparkling-soft water jet is the standard for the majority of mixer taps. The clear, original water flow type, which is also known under the technical term „laminar“, is called “clear spray” at BLANCO.

This term is used to highlight the characteristic of the water flow: clarity, purity and gentle power. Where as the aerated water flow is known for its dynamic, the clear water flow persuades with its natural shape and quietness.

Crystal clear, low-noise and splatter-free denotes the clear spray’s hearable silence and visible cleanliness. Its quiet, low turbulence flow pattern minimises splash water and water atomisation. The result: less water stains, less wiping, more purity on the mixer tap and in the sink.

As opposed to the linear and quiet clear spray, the vortical aerated water flow makes cleaning easier, thanks to the air mixed in it.

OFFER AND UPGRADE

Currently, the PANERA-S and AVONA-family are originally fitted with the clear spray. Numerous mixer tap models such as LINUS, LINUS-S or CANDOR can be easily upgraded with the aerator set, which includes a clear spray and aerated jet regulator for high-pressure mixer taps (Art.-no. 521746). Please check the compatibility with your customer service before purchasing the BLANCO aerator set.

WATER FLOW MODES AT A GLANCE:

Clear spray

- crystal clear
- quiet
- splatter-free

Aerated spray

- aerated
- soft
- strong

AERATOR SET

with clear spray and aerated spray for high-pressure mixer taps
Item-No. 521746



ENVIRONMENT AND SUSTAINABILITY

INFORMATION ON REGULATION (EC) NO. 1907/2006 (REACH)



SUSTAINABILITY AND MANAGEMENT SYSTEM

For almost 100 years, the BLANCO brand is known for high-quality, durable products that make everyday life in the kitchen more comfortable. In doing so, the efficient and careful use of resources and trendsetting quality standards at premium level have an extremely high priority. Sustainability in all its aspects has long been an integral part of BLANCO's corporate culture and is firmly anchored in the entire value chain. It is our declared objective to combine economically successful development with the assumption of ecological and social responsibility.

The globally aligned BLANCO Management System ensures fulfillment of customer requirements as well as relevant legislation and standards worldwide by defined processes and guidelines. We are constantly developing it further according to our own priorities so that it optimally supports the BLANCO business model and underlines our claim on excellent product and service quality.

We operate and certify the energy management system in accordance with ISO 50001 within the BLANC & FISCHER Family Holding. Through even stronger networking across BLANC & FISCHER Family Holding in the future, sustainability activities will be intensified throughout the entire group of companies and concrete sustainability goals will be anchored in the corporate strategy – because of our responsibility for the environment and society, as well as for our customers, partners and employees.

INFORMATION ON REGULATION (EC) NO. 1907/2006 (REACH)

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND COUNCIL (REACH) of 18 December 2006 regulates the registration, assessment, approval and restriction of chemical substances within the EU. It also includes provisions for the disclosure of substance information within the supply chain. Particularly concerning substances are specified in the SVHC (Substances of very high Concern) candidate list of the European Chemicals Agency (ECHA) (<https://echa.europa.eu/candidate-list-table>). The REACH regulation was enacted with the aim of better protecting people and the environment against the dangers and risks that chemical substances may pose. We take the resulting obligations very seriously.

We work closely with our suppliers, making regular enquiries and securing confirmations to ensure compliance with the requirements of Regulation (EC) No. 1907/2006 (REACH). This is also documented in continuous internal audits. In addition, the requirements of the REACH regulation constitute binding provisions for the development and approval of our products.

In line with Article 33 of Regulation (EC) No. 1907/2006 (REACH), we can state that our products are regularly checked for the substances on the ECHA's SVHC candidate list. If these tests uncover substances that exceed the permissible quantities, we will inform our customers accordingly.

Our mixer taps meet all of the requirements of the EC Drinking Water Directive. Our waste kits meet all requirements for safe use with our kitchen sinks. Under the REACH regulation, we are obliged to point out that our mixer taps, soap dispensers and waste kits, drinking water systems contain products made from alloys with levels of lead (EC number: 231-100-4, CAS number: 7439-92-1) that exceed the specified proportion of 0.1%.

EU Product Safety Regulation

The EU Regulation on Product Safety stipulates the conditions under which products may be offered on the European market. Its primary objective is to ensure consumer protection by defining minimum safety requirements for all products. Please note that all relevant safety information is published directly within the product descriptions in our catalogue.

Manufacturer information under the General Product Safety Regulation (GPSR)

BLANCO GmbH + Co KG
Flehinger Straße 59
75038 Oberderdingen
Germany

info@blanco.de

Imprint.

This brochure is only intended for use by the recipient.
It remains in all respects the property of Häfele.

Reproductions of this catalogue in whole or in part, the copying or imitation of any illustrations and the imitation of the layout are strictly prohibited.

The technical descriptions and dimensions in this catalogue, also those with the photographs and drawings, are not binding. We reserve the right to make design improvements. All dimensions in mm, unless stated otherwise.

We bear no liability for any misprints or other errors that might occur in the production of the catalogue.

All deliveries are made pursuant to Häfele's sales conditions.

May 2026
© Copyright by Häfele (Thailand) Limited
All rights reserved
Printed in Thailand

สงวนลิขสิทธิ์

แคตตาล็อกเล่มนี้สงวนสิทธิ์ในการใช้งานเป็นคู่มือเลือกซื้อผลิตภัณฑ์เท่านั้น และถือเป็นสมบัติของบริษัทเฮเฟเล่โดยสมบูรณ์

การผลิตลอกเลียนแบบทั้งหมดหรือส่วนหนึ่งส่วนใด รวมทั้งการลอกเลียนแบบภาพหรือรูปแบบการจัดวางถือเป็นการละเมิดลิขสิทธิ์

คำบรรยายทางเทคนิคและขนาดของผลิตภัณฑ์ รวมถึงภาพและแบบร่างที่ปรากฏภายในไม่ถือเป็นข้อผูกมัดทางกฎหมายแต่อย่างใด
ทางบริษัทฯ ขอสงวนสิทธิ์ในการปรับเปลี่ยนงานออกแบบในภายหลัง
ขนาดของผลิตภัณฑ์ทั้งหมดมีหน่วยเป็นมิลลิเมตร ยกเว้นในกรณีที่มีระบุเป็นหน่วยอื่น

ทั้งนี้ ทางบริษัทฯ จะไม่ขอรับผิดชอบต่อความผิดพลาดใดๆ ที่อาจเกิดขึ้นระหว่างขั้นตอนการผลิตแคตตาล็อก

การจัดส่งสินค้าจะเป็นไปตามเงื่อนไขการขายที่ระบุโดยบริษัทเฮเฟเล่

พฤษภาคม 2569
ลิขสิทธิ์ของบริษัท เฮเฟเล่ (ประเทศไทย) จำกัด
สงวนลิขสิทธิ์
พิมพ์ที่ประเทศไทย



www.hafele.com
www.hafelethailand.com



@hafelethailand



Hafele Thailand

Häfele (Thailand) Limited

Häfele Design Studio (Bangkok)
57 Soi Sukhumvit 64, Sukhumvit Rd.,
Phrakanong Tai, Phrakanong,
Bangkok 10260
Telephone: (02) 768-7171

Häfele Design Studio (Hua Hin)
15/84 Soi Hua Hin 29,
Petchkasem Rd., Hua Hin,
Prachuapkhirikhan 77110
Telephone: (032) 547-704

Häfele Design Center (Phuket)
Opposite Big C, 81 Moo 5,
Chalermprakiet Ror-9 Rd.,
Vichit, Mueang, Phuket 83000
Telephone: (076) 304-460

Häfele Design Studio (Chiang Mai)
498 Chiang Mai-Lampang Rd.,
Thasala, Mueang Chiang Mai,
Chiang Mai 50000
Telephone: (053) 240-300



